

PUBLICATIONS ON RADIOFREQUENCIES AND HEALTH

- Aalto S, Haarala C, Bruck A, Sipila H, et al. (2006): **Mobile phone affects cerebral blood flow in humans.** J Cereb Blood Flow Metab 26:885-890.
- Adair ER, Kelleher SA, Mack GW, Morocco TS (1998): **Thermophysiological responses of human volunteers during controlled whole-body radio frequency exposure at 450 MHz.** Bioelectromagnetics 19:232-245.
- Adair ER, Cobb BL, Mylacraine KS, Kelleher SA, (1999): **Human exposure at two radio frequencies (450 and 2450 MHz): Similarities and differences in physiological responses.** Bioelectromagnetics 20:12-20.
- Adair ER, Mylacraine KS, Cobb BL. (2001): **Partial-body exposure of human volunteers to 2450 MHz pulsed or CW fields provoke similar thermoregulatory responses.** Bioelectromagnetics 22:246-259.
- Adair ER, Mylacraine KS, Cobb BL (2001): **Human exposure to 2450 MHz CW energy at levels outside the IEEE C95.1 standard does not increase core temperature.** Bioelectromagnetics 22:429-439.
- Adair RK (2003): **Biophysical limits on athermal effects of RF and microwave radiation.** Bioelectromagnetics 24:39-48.
- Adair E, Blick DW, Allen SJ, Mylacraine KS, et al. (2005): **Thermophysiological responses of human volunteers to whole body RF exposure at 220 MHz.** Bioelectromagnetics 26:448-461.
- Adda S, Anglesio L, d'Amore G, Mantovan M, et al. (2004): **Ray-tracing techniques to assess the electromagnetic field radiated by base stations: application and experimental validation in an urban environment.** Radiat Prot Dosim 111:339-342.
- Adey WR. (1993): **Biological effects of electromagnetic fields.** J Cell Biochem 51:410-416.
- Adey WR, Byus CB, Cain CD, Higgins RJ, et al. (1999): **Spontaneous and nitrosourea-induced primary tumors of the central nervous system in Fischer 344 rats chronically exposed to 836 MHz modulated microwaves.** Radiat Res 152:293-302.
- Adey WR, Byus CV, Cain CD, Higgins RJ, et al. (2000): **Spontaneous and nitrosourea-induced primary tumors of the central nervous system in Fischer 344 rats exposed to frequency-modulated microwave fields.** Cancer Research 60:1857-1863.
- Ahlbom A, Feychting M (1999): **Re: use of cellular phones and the risk of brain tumours: A case-control study.** Int J Oncol 15:1045-1047.
- Ahlbom A, Feychting M (2003): **Electromagnetic radiation.** British Medical Bulletin 68:157-165.
- Ahlbom A, Green A, Kheifets L, Savitz D, Swerdlow A (2004): **Epidemiology of health effects of radiofrequency exposure.** Environ Health Perspect 112:1741-1754.
- Ahlbom A, Feychting M, Lonn S (2005). **Mobile phones and tumor risk: Interpretation of recent results.** Radio Science Bulletin 314:30-33.
- Ahlbom A, Feychting M, Cardis E, Elliott P (2007): **Re: Cellular telephone use and cancer risk: Update of a nationwide Danish cohort, by Schuz et al.** JNCI 99:655.
- Albert EN, Kerns JM (1981): **Reversible microwave effects on the blood-brain barrier.** Brain Research 230:153-164.

- Ali Kahn A, O'Brien DF, Kelly P, Phillips JP, et al. (2003): **The anatomical distribution of cerebral gliomas in mobile phone users.** Irish Med J 96:240-242.
- Anane R, Geffard M, Taxile M, Bodet D, et al. (2003): **Effects of GSM-900 microwaves on the experimental allergic encephalomyelitis (EAE) rat model of multiple sclerosis.** Bioelectromagnetics 24:211-213.
- Anane R, Dulou P-E, Taxile M, Geffard M, et al. (2003): **Effects of GSM-900 microwaves on DMBA-induced mammary gland tumours in female Sprague-Dawley rats.** Radiat Res 160:492-497.
- Anderson K, Qiu Y, Whittaker AR, Lucas M. **Breath sounds, asthma, and the mobile phone.** Lancet 2001;358:1343-1344.
- Anderson LE, Sheen DM, Wilson BW, Grumbein SL, et al. (2004): **Two-year chronic bioassay study of rats exposed to a 1.6 GHz radiofrequency signal.** Radiation Research 162:201-210.
- Anderson V, Rowley J (2007): **Measurements of skin surface during mobile phone use.** Bioelectromagnetics 28:159-162.
- Andrews KA, Savitz DA (1999): **Accuracy of industry and occupation on death certificates of electric utility workers: Implications for epidemiologic studies of magnetic fields and cancer.** Bioelectromagnetics 20:512-518.
- Anghileri LJ, Mayayo E, Domingo JL, Thouvenot P (2006): **Evaluation of health risks caused by radiofrequency accelerated carcinogenesis: the importance of processes driven by the calcium ion signal.** Eur J Cancer Prev 15:191-195
- Anglesio L, Benedetto A, Bonino A, Colla D, et al. (2001): **Population exposure to electromagnetic fields generated by base stations: Evaluation of the urban background by using provisional model and instrumental measurements.** Radiat Prot Dosim 97:355-358.
- Antonopoulos A, Eisenbrandt H, Obe G (1997): **Effects of high-frequency electromagnetic fields on human lymphocytes in vitro.** Mutat Res 395:209-214.
- Arai N, Enomoto H, Okabe S, Yuasa K (2003): **Thirty minutes mobile phone use has no short-term adverse effects on central auditory pathways.** Clin Neurophysiol 114:1390-1394.
- Aran JM, Carrere N, Chalan Y, Dulou PE, et al. (2004): **Effects of exposure of the ear to GSM microwaves: in vivo and in vitro experimental studies.** Int J Audiol 43:545-54.
- Ardoino L, Barbieri E, Vecchia P (2004): **Determinants of exposure to electromagnetic fields from mobile phones.** Radiat Prot Dosim 111:403-406.
- Arthur JSC (2007): **MAPK activation by radio waves.** Biochem J 405, e5-6.
- Armstrong B, Theriault G, Guenel P, et al. (1994): **Association between exposure to pulsed electromagnetic fields and cancer in electrical utility workers in Quebec, Canada, and France.** Am J Epidemiol 140:805-820.
- Armstrong BK, Jong KE (2007): **Brain tumours and mobile phones (letter).** Med J Aust 168:308.
- Anderson V, Joyner KH (1995): **Specific absorption rate levels measured in a phantom head exposed to radio frequency transmissions from analog hand-held mobile phones.** Bioelectromagnetics 16:60-9.

- Atli E, Unlu H (2006): **The effects of microwave frequency electromagnetic fields on the development of *Drosophila melanogaster***. Int J Radiat Biol 82:435-441.
- Australian Dept. of Health (May 1997): **Information sheets. Health issues and electromagnetic energy from mobile phone towers.**
- Auvinen A, Hietanen M, Luukkonen R, Koskela R-S (2002): **Brain tumors and salivary gland cancers among cellular telephone users.** Epidemiology 13:356-359.
- Auvinen A, Toivo T, Tokola K. **Epidemiological risk assessment of mobile phones and cancer: where can we improve?** Eur J Cancer Prev 2006;15:516-523.
- Ayata A, Mollaoglu H, Yilmaz HR, Akturk O, et al. (2004): **Oxidative stress-mediated skin damage in an experimental mobile phone model can be prevented by melatonin.** J Dermatol 31:878-883.
- Bakos J, Kubinyi G, Sinay H, Thuróczy G (2003): **GSM modulated radiofrequency radiation does not affect 6-sulfatoxymelatonin excretion of rats.** Bioelectromagnetics 24:531-534.
- Balcer-Kubiczek EC, Harrison GH (1989): **Induction of neoplastic transformation in C3H/10T $\frac{1}{2}$ cells by 2.45 GHz microwaves and phorbol ester.** Radiat Res 117:531-537.
- Balcer-Kubiczek EC, Harrison GH (1991): **Neoplastic transformation of C3H/10T $\frac{1}{2}$ following exposure to 120-Hz modulated 2.45 GHz microwaves and phorbol ester tumor promoter.** Radiat Res 126:65-72.
- Balmori A (2005): **Possible effects of electromagnetic fields from phone masts on a population of white storks.** Electromag Biol Medi 24:109-119.
- Balmori A, Hallberg Ö (2007): **The urban decline of the house sparrow (*Passer domesticus*): A possible link with electromagnetic radiation.** Electromag Biolo Med 26:141-151.
- Balzano Q, Sheppard AR (2003): **The influence of the precautionary principle on science-based decision-making: questionable applications to risks of radiofrequency fields.** Journal of Risk Research 5:351-369.
- Baohong W, Jiliang H, Lifen J, Deqiang L, et al. (2005): **Studying the synergistic damage effects induced by 1.8 GHz radiofrequency field radiation (RFR) with four chemical mutagens on human lymphocyte DNA using comet assay in vitro.** Mutat Res 578:149-157.
- Barker AT, Jackson PR, Parry H, Coulton LA, et al. (2007): **The effect of GSM and TETRA mobile handsets on blood pressure, catechol levels and heart rate variability.** Bioelectromagnetics 28:433-438.
- Barnes F. (2006): **Setting standards in the presence of developing scientific understanding.** Electromag Biol Med 25:209-215.
- Barnett J, Timotijevic L, Shepherd R, Senior V (2007): **Public responses to precautionary information from the Department of Health (UK) about possible health risks from mobile phones.** Health Policy 82:240-250.
- Barth A, Winker R, Ponocny-Seliger E, Mayrhofer W, et al. (2007): **A meta-analysis for neurobehavioral effects due to electromagnetic field exposure emitted by GSM mobile phones.** Occup Environ Med online 10 Oct 2007. Doi:10.1136/oem.2006.031450
- Bartsch H, Bartsch C, Seebald E, Deeburg F, et al. (2002): **Chronic exposure to a GSM-like signal (mobile phone) does not stimulate the development of DMBA-induced mammary tumors in rats: Results of three consecutive studies.** Radiat Res 157:183-190.

Baumgart-Elms C, Ahrens W, Bromen K, Boikat U, et al. (2002): **Testicular cancer and electromagnetic fields in the workplace: results of a population based case-control study in Germany.** *Cancer Causes Control* 2002;13:895-902.

Beard BB, Kainz W. **Review and standardization of cell phone exposure calculations using the SAM phantom and anatomically correct models.** *BioMedical Engineering OnLine* 2004;3:34, Oct 13 (Epub ahead of print). The article can be found at www.biomedical-engineering-online.com/content/3/1/34

Beasond R C, Semm P (2002): **Response of neurons to an amplitude-modulated microwave stimulus.** *Neuroscience letters* 33:175-8.

Belpoggi F, et al. (2006): **Benevento Resolution 2006,** *Electromag Biol Med.* 25:197-200.

Belyaev IY, Hillert L, Protopopova M, Tamm C, et al. (2005): **915 MHz microwaves and 50 Hz magnetic field affect chromatin conformation and 53 BPI foci in human lymphocytes from hypersensitive and healthy persons.** *Bioelectromagnetics* 26:173-184.

Belyaev IY, Koch CB, Terenius O, Roxstrom-Lindquist K, et al. (2006): **Exposure of rat brain to 915 MHz GSM microwaves induces changes in gene expression but not double stranded DNA breaks or effects on chromatin conformation.** *Bioelectromagnetics* 27:295-306.

Berg G, Schuz J, Samkange-Zeeb F, Blettner M (2005): **Assessment of radiofrequency exposure from cellular telephone daily use in an epidemiological study: German validation study of the international case-control study of cancers of the brain-INTERPHONE-Study.** *J Expo Anal Environ Epidemiol* 15:217-224.

Berg G, Spallek J, Schuz J, Schlefor B, et al. (2006): **Occupational exposure to radio frequency/microwave radiation and the risk of brain tumours: Interphone study group, Germany.** *Am J Epidemiol* 164:538-548.

Bisht KS, Moros EG, Straube WL, Baty JD, Roti Roti JL (2002): **The effect of 835.62 MHz FDMA or 847.74 MHz CDMA modulated radiofrequency radiation on the induction of micronuclei in C3H 10T½ cells.** *Radiat Res* 157:506-515.

Bit-Babik, G, Chou CK, Faraone A, Gessner A, et al. (2003): **Estimation of the SAR in the human head and body due to radiofrequency radiation exposure from handheld mobile phones with hands-free accessories.** *Radiat Res* 159:550-557.

Bit-Babik G, Guy AW, Chou CK, Faraone A, et al. (2005): **Simulation of exposure and SAR estimation for adult and child heads exposed to radiofrequency energy from portable communication devices.** *Radiat Res* 163:580-590.

Black DR, Heynick LN (2003): **Radiofrequency (RF) effects on blood cells, cardiac, endocrine, and immunologic functions.** *Bioelectromagnetics Supplement* 6:187-195.

Blackmore SJ, Rose N (2002): **Testing the bioelectric shield.** *Altern Ther Health Med* 8:62-7.

Blank M, Goodman R (2004): **Comment: A biological guide for electromagnetic safety: the stress response.** *Bioelectromagnetics* 25:642-646.

Blank M (2006): **The precautionary principle must be guided by EMF research.** *Electromag Biol Med* 25:203-208.

Blas J, Lago FA, Fernandez P, Lorenzo RM, et al. (2007): **Potential exposure assessment errors associated with body-worn RF dosimeters.** *Bioelectromagnetics* 28:573-576.

- Blettner M, Berg G (2000): **Are mobile phones harmful?** Acta Oncol 39:927-930.
- Blettner M, Michaelis J, Wahrendorf J (2000): **Workshop on research into the health effects of cellular telephones.** Epidemiology 11:609-611.
- Boice JD, Morrissey JJ (1998): **Epidemiologic studies related to cellular telephone communications.** Motorola updated version of a paper previously presented at "The Second World Congress for Electricity and Magnetism in Biology and Medicine", Bologna, Italy, June 1997.
- Boice JD, McLaughlin JK. **Epidemiologic studies of cellular telephones and cancer risk - a review.** Swedish Radiation Protection Authority, 2002.
- Boice JD and McLaughlin JK (2006): **Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries (letter).** Brit J Cancer 95:130.
- Borbely AA, Huber R, Graf T, Fuchs B, et al. (1999): **Pulsed high-frequency electromagnetic field affects human sleep and sleep encephalogram.** Neuroscience Letters 275:207-210.
- Borghesi JL (1998): **Brain tumours and mobile phones (letter).** Med J Aust 168:308-9.
- Bornhausen M, Scheingraber H (2000): **Prenatal exposure to 900 MHz, cell-phone electromagnetic fields had no effect on operant-behavior performances of adult rats.** Bioelectromagnetics 21:566-574.
- Bortkiewicz A, Pilacik B, Gadzicka E, Szymczak W (2002): **The excretion of 6-hydroxymelatonin sulfate in healthy young men exposed to electromagnetic fields emitted by cellular phone - an experimental study.** Neuroendocrinology Letters 23 (suppl 1):88-91.
- Boutry CM, Kuehn S, Achermann P, Romann A, Keshvari J, Kuster N. (2008): **Dosimetric evaluation and comparison of different RF exposure apparatuses used in human volunteer studies.** Bioelectromagnetics :29(1):11-19.
- Braune S, Wrocklage C, Raczek J, Gailus T, Lucking CH (1998): **Resting blood pressure increase during exposure to a radio-frequency electromagnetic field.** Lancet 351:1857-8.
- Braune S, Riedel A, Schulte-Monting J, Raczek J (2002): **Influence of a radiofrequency electromagnetic field on cardiovascular and hormonal parameters of the autonomic nervous system in healthy individuals.** Radiat Res 158:352-356.
- Breckenkamp J, Berg G, Blettner M (2003): **Biological effects on human health due to radiofrequency/microwave exposure: a synopsis of cohort studies.** Radiat Environ Biophys 42:141-154.
- Brillaud E, Piotrowski A, de Seze R (2007): **Effect of an acute 900 MHz GSM exposure on glia in the rat brain: A time-dependent study.** Toxicology 238:23-33.
- Brodsky LM, Habash RWY, Leiss W, Krewski D, Repacholi M (2004): **Health risks of electromagnetic fields.** Part 111: Risk analysis. Crit Rev Biomed Eng 31:333-354.
- Brusick D, Albertini R, McRee D, Peterson D, et al. (1998): **Genotoxicity of radiofrequency radiation.** Environ Mol Mutagen 32:1-16.
- Buffler PA (1996): **Cellular telephones and health.** Epidemiology 6:219.
- Burch JB, Reif JS, Noonan CW, Ichinose T, et al. (2002): **Melatonin metabolite excretion among cellular telephone users.** Int J Radiat Biol 78:1029-1036.

- Bürgi A, Theis G, Siegenthaler A, Rössli M (2007): **Exposure modeling of high-frequency electromagnetic fields.** J Expo Anal Environ Epidemiol 4 April 2007;doi:10.1038/sj.jes.7500575.
- Buttiglione M, Roca L, Montemurno E, Vitiello F, et al. (2007): **Radiofrequency radiation (900 MHz) induces gene expression and affects cell-cycle control in human neuroblastoma cells.** J Cell Physiol 213: 759-767.
- Byus CV, Lundak RL, Fletcher RM, Adey WR (1984): **Alterations in protein kinase activity following exposure of cultured human lymphocytes to modulated microwave fields.** Bioelectromagnetics 5:341-351.
- Byus CV, Kartun K, Pieper S, Adey WR (1988): **Increased ornithine decarboxylase activity in cultured cells exposed to low energy modulated microwave fields and phorbol ester tumor promoters.** Cancer Res 48:4222-4226.
- Byus CV, Hawel L. (1997): **Additional considerations about bioeffects.** In Mobile Communications Safety (Q Balzano and JC Lin, Eds). London, Chapman and Hall, p.133.
- Cain CD, Thomas DL, Adey WR (1997): **Focus formation of C3H/10T1/2 cells and exposure to a 836.55 MHz modulated radiofrequency field.** Bioelectromagnetics 18:237-243.
- Calabrese P, Spittler JF, Gehlen W (1997): **Neuropsychological performance of healthy subjects under low frequency pulsed RF fields.** 2nd World Congress for Electricity and Magnetism in Biology and Medicine, Bologna, Italy.
- Cantor KP, Stewart P, Brinton L, et al. (1995): **Occupational exposures and female breast cancer mortality in the United States.** J Occup Environ Med 37:336-48.
- Capri M, Scarcella E, Bianchi E, Fumelli C, et al. (2004a): **1800 MHz radiofrequency (mobile phones, different Global System for Mobile Communication modulations) does not affect apoptosis and heat shock protein 70 level in peripheral blood mononuclear cells from young and old donors.** Int J Radiat Biol 80:389-397.
- Capri M, Scarcella E, Fumelli C, Bianchi E, et al. (2004b): **In vitro exposure of human lymphocytes to 900 MHz CW and GSM modulated radiofrequency: studies of proliferation, apoptosis and mitochondrial membrane potential.** Radiat Res 162:211-218.
- Capri M, Salvioli S, Altiglia S, Sevini F, et al. (2006): **Age-dependent effects of in vitro radiofrequency exposure (mobile phone) on CD95+ T helper human lymphocytes.** Ann N Y Acad Sci 1067:493-499.
- Cardis E, Kilkeny M (1999): **International case-control study of adult brain, head and neck tumours: Results of the feasibility study.** Radiat Prot Dosim 83:179-183.
- Cardis E, Richardson L, Deltour I, Armstrong B, et al. (2007): **The INTERPHONE study: design, epidemiological methods, and description of the study population.** Eur J Epidemiol 2007. DOI 10.1007/s10654-007-9152-z.
- Carpenter RL (1979): **Ocular effects of microwave radiation.** Bull NY Acad Med 55:1048-1057.
- Cassel J-C (2005): **Letter to the Editor concerning "Radial arm maze performance of rats following repeated low level microwave radiation exposure", by Cobb et al.** (BEMS, 2004, 25:49-57) and "Letter to the Editor" by Lai (BEMS, 2005, 26:81). Bioelectromagnetics 26:526-7.
- Cassel JC, Cosquer B, Galani R, Kuster N (2004): **Whole-body exposure to 2.45 GHz electromagnetic fields does not alter radial-maze performance in rats.** Behav Brain Res 155:37-43.

Chagnaud J-L, Moreau J-M, Veyret B (1999): **No effect of short-term exposure to GSM-modulated low-power microwaves on benzo(a)pyrene-induced tumours in rat.** Int J Radiat Biol 75:1251-1256.

Chagnaud J-L, Veyret B (1999): **In vivo exposure of rats to GSM-modulated microwaves: flow cytometry analysis of lymphocyte subpopulations and of mitogen stimulation.** Int J Radiat Biol 75:111-113.

Challis L (2005): **Mechanisms for interaction between RF fields and biological tissue.** Bioelectromagnetics 26, Issue S7:98-106.

Chang S-K, Choi J-S, Gil H-W, Yang J-O, et al. (2005): **Genotoxicity evaluation of electromagnetic fields generated by 835-MHz mobile phone frequency band.** Eur J Cancer Prev 14:175-179.

Chapman S and Schofield WN (1998): **Lifesavers and Samaritans: Emergency use of cellular (mobile) phones in Australia.** Accid Anal Prev 30:815-9.

Charlton A, Bates C (2000): **Decline in teenage smoking with rise in mobile phone ownership: hypothesis.** BMJ 321:1155.

Chauhan V, Mariampillai A, Bellier PV, Qutob SS, et al. (2006a): **Gene expression analysis of a human lymphoblastoma cell line exposed in vitro to an intermittent 1.9 GHz pulse-modulated radiofrequency field.** Radiat Res 165:424-429.

Chauhan V, Mariampillai A, Gajda GB, Thansandote A, et al. (2006b): **Analysis of proto-oncogene and heat-shock protein gene expression in human derived cell-lines exposed in vitro to an intermittent 1.9 GHz pulse-modulated radiofrequency field.** Int J Radiat Biol 82:347-354.

Chauhan V, Mariampillai A, Kutzner BC, Wikins RC, et al. (2007): **Evaluating the biological effects of intermittent 1.9 GHz pulse-modulated radiofrequency fields in a series of human-derived cell lines.** Radiat Res 167:87-93.

Cherry N (2001): **Re: "Cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield transmitter; II. All high power transmitters".** (Letter). Am J Epidemiol 153:204-5.

Chia S-E, Chia H-P, Tan J-S, Vlassov V (2000): **Health hazards of mobile phones.** BMJ 321:1155

Chia S-E, Chia H-P, Tan J-S (2000): **Prevalence of headaches among handheld cellular telephone users in Singapore: A community study.** Environ Health Perspect 108:1059-1062.

Chou C-K, Guy AW, Kunz LL, Johnson RB, et al. (1992): **Long-term, low-level microwave irradiation of rats.** Bioelectromagnetics 13:469-496.

Chou CK, Bassen H, Osepchuk J, Balzano Q, et al (1996): **Radio frequency electromagnetic exposure: Tutorial review on experimental dosimetry.** Bioelectromagnetics 17:195-208.

Chou C-K, Swicord M (2003): **Comment on "Exposure of human peripheral blood lymphocytes to electromagnetic fields associated with cellular phones leads to chromosomal instability", by Mashevich et al.** Bioelectromagnetics 24:582.

Chou C-K (2007): **Thirty-five years in bioelectromagnetics research.** Bioelectromagnetics 28:3-15.

Christ A, Chavannes N, Nikoloski N, Gerber H-U, et al. (2005): **A numerical and experimental comparison of human head phantoms for compliance testing of mobile phone equipment.** Bioelectromagnetics 26:125-137.

- Christ A, Kuster N (2005): **Differences in RF energy absorption in the heads of adults and children.** Bioelectromagnetics 26, Issue S7:S45-50.
- Christensen HC, Schuz J, Kosteljanetz M, Skovgaard H, et al. (2004): **Cellular telephone use and risk of acoustic neuroma.** Am J Epidemiol 159:277-283
- Christensen HC, Schuz J, Kosteljanetz M, Skovgaard Poulsen H, et al. (2005): **Cellular telephones and risk for brain tumours: A population-based, incident case-control study.** Neurology 64:1189-1195.
- Cinel C, Boldini A, Russo R, Fox E (2007): **Effects of mobile phone electromagnetic fields on an auditory order threshold task.** Bioelectromagnetics 28:493-496.
- Cleary SF, Liu LM, Mercnat RE (1990a): **Glioma proliferation modulated in vitro by isothermal radiofrequency radiation exposure.** Radiat Res 121:38-45.
- Cleary SF, Liu LM, Mercnat RE (1990b): **In vitro lymphocyte proliferation induced by radiofrequency electromagnetic radiation under isothermal conditions.** Bioelectromagnetics 11:47-56.
- Cleary SF (1996): **In Vitro Studies of the Effects of Nonthermal Radiofrequency and Microwave Radiation.** In: Bernhardt JH, Matthes R, Repacholi MH (eds). Non-thermal effects of RF electromagnetic fields. Proceedings of the International Seminar of the Biological effects of non-thermal pulse and amplitude modulated RF electromagnetic fields and related health hazards. Munich-Neuherberg, 20-22 November 1996, pp. 119-130.
- Cleary SF, Cao G, Liu L-M (1996): **Effects of isothermal 2.45 GHz microwave radiation on the mammalian cell cycle: Comparison with effects of isothermal 27 MHz radiofrequency radiation.** Bioelectrochem. Bioenerg. 39:167-173.
- Cleary SF, Cao G, Liu L-M, Egle PM, et al. (1997): **Stress proteins are not induced in mammalian cells exposed to radiofrequency or microwave radiation.** Bioelectromagnetics 18:499-505.
- Cobb BL, Jauchem JR, Adair ER (2004): **Radial arm maze performance of rats following repeated low level microwave radiation exposure.** Bioelectromagnetics 25:49-57.
- Coggon D (2006): **Health risks from mobile phone base stations.** Occup Environ Med 63:298-299.
- Cook A, Woodward A, Pearce N, Marshall C (2003): **Cellular telephone use and time trends for brain, head and neck tumours.** NZMJ 116:No. 1175
- Cook CM, Thomas AW, Prato FS (2002): **Human electrophysiological and cognitive effects of exposure to ELF magnetic and ELF modulated RF and microwave fields: A review of recent studies.** Bioelectromagnetics 23:144-157.
- Cook CM, Thomas AW, Prato FS (2004): **Resting EEG is affected by exposure to a pulsed ELF magnetic field.** Bioelectromagnetics 25:196-203.
- Cook CM, Saucier DM, Thomas AW, Prato FS (2006): **Exposure to ELF and ELF-modulated radiofrequency fields: The time course of physiological and cognitive effects observed in recent studies (2001-2005).** Bioelectromagnetics 27:613-627.
- Cooper D, Hemmings K, Saunders P (2001): **Re: "Cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield transmitter; II. All high power transmitters".** (Letter). Am J Epidemiol 153:202-4.

Cooper J, Marx B, Buhl J, Hombach V. **Determination of safety distance limits for a human near a cellular base station antenna, adopting the ICHE standard or ICNIRP guidelines.** *Bioelectromagnetics* 2002;23:429-443.

Cooper TG, Allen SG, Blackwell RP, Litchfield I, et al. (2004): **Assessment of occupational exposure to radiofrequency fields and radiation.** *Radiat Prot Dosim* 111:191-203.

Cooper TG, Mann SM, Khalid M, Blackwell RP (2004): **Exposure of the general public to radio waves near microcell and picocell base stations for mobile telecommunications.** NRPB Report, September 2004.

Cooper TG, Mann SM, Khalid M, Blackwell RP. (2006): **Public exposure to radio waves near GSM microcell and picocell base stations.** *J. Radiol Prot* 26:199-211.

Cosquer B, Galani R, Kuster N, Cassel JC (2005a): **Whole-body exposure to 2.45 GHz electromagnetic fields does not alter anxiety responses in rats: a plus-maze study including test validation.** *Behav Brain Res* 156:65-74.

Cosquer B, Vasconcelos AP, Frohlich J, Cassel JC (2005b): **Blood-brain barrier and electromagnetic fields: effects of scopolamine methylbromide on working memory after whole-body exposure to 2.45 GHz microwaves in rats.** *Behav Brain Res* 161:229-237.

Cotgreave IA (2005): **Biological stress responses to radio frequency electromagnetic radiation: are mobile phones really so (heat) shocking?** *Arch Biochem Biophys* 435:227-40.

Cranfield CG, Wood AW, Anderson V, Menezes KG (2001): **Effects of mobile phone type signals on calcium levels within human leukaemic T-cells (Jurkat cells).** *Int J Radiat Biol* 77:1207-1217.

Croft R, Chandler JS, Burgess AP, Barry RJ, et al. (2002): **Acute mobile phone operation affects neural function in humans.** *Clinical Neurophysiology* 113:1623.

Croft RJ, Hamblin DL, Spong J, Wood AW, McKenzie RJ, Stough C. (2008). **The effect of mobile phone electromagnetic fields on the alpha rhythm of human electroencephalogram.** *Bioelectromagnetics* 29(1):1-10.

Curcio G, Ferrara M, de Gennaro L, Cristiani R, et al. (2004): **Time-course of electromagnetic field effects on human performance and tympanic temperature.** *Neuroreport* 15:161-164.

Curcio G, Ferrara M, Moroni F, D'Inzeo G, et al (2005): **Is the brain influenced by a phone call? An EEG study of resting wakefulness.** *Neurosci Res* 53:265-270.

Czerska EM, Elson EC, Davis CC, Swicord ML, Czerski P (1992): **Effects of continuous and pulsed 2450-MHz radiation on spontaneous lymphoblastoid transformation of human lymphocytes in vitro.** *Bioelectromagnetics* 13:247-259.

Czyz J, Guan K, Zeng Q, Nikolova T, et al. (2004): **High frequency electromagnetic fields (GSM signals) affect gene expression levels in tumor suppressor p53-deficient embryonic stem cells.** *Bioelectromagnetics* 25:296-307.

Dabrowski MP, Stankiewicz W, Kubacki R, Sobiczewska E, et al. (2003): **Immunotropic effects in cultured human blood mononuclear cells pre-exposed to low-level 1300 MHz pulse-modulated microwave field.** *Electromagnetic Biology and Medicine* 22:1-13.

D'Ambrosio G, Massa R, Scarfi MR, Zeni O (2002): **Cytogenetic damage in human lymphocytes following GSMK phase modulated microwave exposure.** *Bioelectromagnetics* 23:7-13.

- D'Andrea J (1999): **Behavioral evaluation of microwave irradiation.** Bioelectromagnetics 20:64-74.
- D'Andrea JA, Adair E, de Lorge JO (2003): **Behavioral and cognitive effects of microwave exposure.** Bioelectromagnetics Supplement 6:S39-62.
- D'Andrea JA, Chou CK, Johnston SA, Adair ER (2003): **Microwave effects on the nervous system.** Bioelectromagnetics Supplement 6:S107-147.
- Dasdag S, Ketani MA, Akdag Z, Ersay AR, et al. (1999): **Whole-body microwave exposure emitted by cellular phones and testicular function of rats.** Urol Res 27:219-223.
- Dasdag S, Akdag MZ, Ayyildiz O, Demirtas OC, et al. (2000): **Do cellular phones alter blood parameters and birth weight of rats?** Electro- and Magnetobiology 19:107-113.
- Dasdag S, Akdag MZ, Aksen F, Yilmaz F et al. (2003): **Whole body exposure of rats to microwaves emitted from a cell phone does not affect the testes.** Bioelectromagnetics 24:182-188.
- Dasdag S, Akdag MZ, Aksen F, Bashan M, et al. (2004): **Does 900 MHz GSM mobile phone exposure affect rat brain?** Electromag Biol Med. 23:201-214.
- Davidson JA (1998): **Brain tumours and mobile phones (letter).** Med J Aust 168:48.
- Davidson JA (1998): **Brain tumours and mobile phones (reply to letters).** Med J Aust 168:310.
- Davis RL, Mostofi FK (1993): **Cluster of testicular cancer in police officers exposed to hand-held radar.** Am J Ind Med 24:231-3.
- Dawe AS, Smith B, Thomas DWP, Greedy S, et al. (2006): **A small temperature rise may contribute towards the apparent induction of heat-shock gene expression in the nematode *Caenorhabditis Elegans*.** Bioelectromagnetics 27:88-97.
- de Pomerai D, Daniells C, David H, Allan J, et al. (2000): **Non-thermal heat-shock response to microwaves.** Nature 405:417-418.
- de Pomerai DL, Dawe A, Djerbib L, Allan J, et al. (2002). **Growth and maturation of the nematode *Caenorhabditis elegans* following exposure to weak microwave fields.** Enzyme Microb Technol 30:73-79.
- de Pomerai DI, Smith B, Dawe A, North K, et al. (2003): **Microwave radiation can alter protein conformation without bulk heating.** FEBS Letters 543:93-97.
- De Roos AJ, Teschke K, Savitz DA, Poole C, et al. (2001): **Parental occupational exposures to electromagnetic fields and radiation and the incidence of neuroblastoma in offspring.** Epidemiology 12:508-517.
- De Salles AA, Bulla G, Fernandez Rodriguez CE (2006): **Electromagnetic absorption in the head of adults and children due to mobile phone operation close to the head.** Electromag Biol Med 25:349-360.
- De Seze R et al. (1998): **GSM radiocellular telephones do not disturb the secretion of antepituitary hormones in humans.** Bioelectromagnetics 19:271-278.
- De Seze R, Ayoub J, Peray P, Miro L, et al (1999): **Evaluation in humans of the effects of radiocellular phones on the circadian patterns of melatonin secretion, a chronobiological rhythm marker.** J Pineal Res 27:237-42.

Dec S, Cieslak E, Miszczak JS. (1997): **Electroencephalographic frequency mapping in healthy subjects during cellular head telephone stimulation.** 2nd World Congress for Electricity and Magnetism in Biology and Medicine, Bologna, Italy.

Demers PA, Thomas DB, Rosenblatt KA, et al. (1991): **Occupational exposure to electromagnetic fields and breast cancer in men.** Am J Epidemiol 134:340-7.

Dendy PP (2000): **Mobile phones and the illusory pursuit of safety.** Lancet 366:1782-1783.

Desta, A. B., Owen RD, Cress LW. (2003): **Non-thermal exposure to radiofrequency energy from digital wireless phones does not affect ornithine decarboxylase activity in L929 cells.** Radiat.Res. 160:488-491.

Dewhirst MW, Lora-Michiels M, Viglianti BL, Dewey WC, et al. (2003): **Carcinogenic effects of hyperthermia.** Int J Hyperthermia 19:236-251.

Di Carlo A, White N, Guo F, Garrett P, et al. (2002): **Chronic electromagnetic field exposure decreases HSP70 levels and lowers cytoprotection.** J Cell Biochem 84:447-454.

Diem E, Schwarz C, Adlkofer F, Jahn O, et al. **Non-thermal DNA breakage by mobile-phone radiation (1800 MHz) in human fibroblasts and in transformed GFSH-R17 rat granulosa cells in vitro.** Mutat Res 2005;583:178-183.

Dimbylow PJ, Mann SM (1999): **Characterisation of energy deposition in the head from cellular phones.** Radiat Protect Dosim 83:139-141.

Dobson J, St-Pierre T (1996): **Application of the ferromagnetic transduction model to DC and pulsed magnetic fields: effects on epileptogenic tissue and implications for cellular phone safety.** Biochem Biophys Res Commun 227:718-23.

Dolk H, Shaddick G, et al. (1997a): **Cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield transmitter.** Am J Epidemiol 145:1-9.

Dolk H, Elliott P, et al. (1997b): **Cancer incidence near radio and television transmitters in Great Britain. II. All high power transmitters.** Am J Epidemiol 145:10-17.

Dolk H (2001): **Re: "Cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield transmitter; II. All high power transmitters". (Letter).** Am J Epidemiol 153:205.

Donnellan M, McKenzie DR, French PW (1997): **Effects of exposure to electromagnetic radiation at 835 MHz on growth, morphology and secretory characteristics of a mast cell analogue, RBL-2H3.** Cell Biol Int 21:427-439.

Dovrat A, Berenson R, Bormusov E, Lahav A, et al. (2005): **Localised effects of microwave radiation on the intact eye lens in culture conditions.** Bioelectromagnetics 26:398-405.

Dreyer NA, Loughlin JE, Rothman KJ (1999): **Cause-specific mortality in cellular telephone users.** JAMA 282:1814-1816.

Dreyer NA, Loughlin JE, Rothman KJ (1999): **Epidemiological safety surveillance of cellular telephones in the US.** Radiat Protect Dosim 83:159-163.

Dubreuil D, Jay T, Edeline J-M (2002): **Does heads-only exposure to GSM-900 electromagnetic fields affect the performance of rats in spatial learning tasks?_Behav Brain Res 129:202-210.**

Dutta SK, Subramoniam A, Ghosh B, Parshad R (1984): **Microwave radiation-induced calcium ion efflux from human neuroblastoma cells in culture.** Bioelectromagnetics 5:71-78.

Edelstyn N, Oldershaw A (2002): **The acute effects of exposure to the electromagnetic field emitted by mobile phones on human attention.** Neuroreport 13:119-121.

Elder JA, Czerski A, Stuchly MA, Mild KH and Sheppard AR (1992): **Radio-frequency radiation.** Nonionizing Radiation Protection, 2nd Edition, WHO Regional Publications, ISBN 92 890 1116 5.

Elder JA (2003): **Survival and cancer in laboratory mammals exposed to radiofrequency energy.** Bioelectromagnetics Supplement 6:S101-106.

Elder JA (2003): **Ocular effects of radiofrequency energy.** Bioelectromagnetics Supplement 6:S148-161.

Elder JA, Chou CK (2003): **Auditory response to pulsed radiofrequency energy.** Bioelectromagnetics Supplement 6:S162-173.

Elekes E, Thuroczy G, Szabo LD (1996): **Effect on the immune system of mice exposed chronically to 50m Hz amplitude-modulated 2.45 GHz microwaves.** Bioelectromagnetics 17:246-8.

Eliyahu I, Luria R, Hareuveny R, Margaliot M, et al. (2006): **Effects of radiofrequency radiation emitted by cellular telephones on the cognitive function of humans.** Bioelectromagnetics 27:119-126.

Eltiti S, Wallace D, Zougkou K, Russo R, et al. (2007): **Development and evaluation of the electromagnetic hypersensitivity questionnaire.** Bioelectromagnetics 28:137-151

Eltiti S, Wallace D, Ridgewell A, Zougkou K, et al. (2007a): **Does short-term exposure to mobile phone base Station signals increase symptoms in individuals who report sensitivity to electromagnetic fields? A double-blind randomized provocation study.** Environ Health Perspect 115:1603-1608.

Elwood JM (1999): **A critical review of epidemiologic studies of radiofrequency exposure and human cancers.** Environ Health Perspect 107 (Suppl 1):155-168.

Elwood ME (2003): **Epidemiological studies of radio frequency exposures and human cancer.** Bioelectromagnetics Supplement 6:S63-73.

Emerson RG, Walczak TS, Turner CA (1995): **EEG and evoked potentials.** In Merrit's Textbook of Neurology, 9th edition, page 67. Williams and Wilkins.

Erdreich LS, Klauenberg BJ (2001): **Radio frequency radiation exposure standards: considerations for harmonization.** Health Physics 80:430-439.

Erdreich LS, Van Kerkhove MD, Scrafford CG, Barraj L, et al. (2007): **Factors that influence the radiofrequency power output of GSM mobile phones.** Rad Res 168:253-261.

Erman M, et al. (2001): **Cellular telephones and brain tumors (letter).** N Engl J Med 344:1331.

Erogul O, Oztas E, Yildirim I, Kir T, et al. (2006): **Effects of electromagnetic radiation from a cellular phone on human sperm motility.** Arch Med Res 37:840-843.

Ettelt S, Nolte E, McKee M, Haugen OA, et al. (2006): **Evidence-based policy? The use of mobile phones in hospital J Public Health 28:299-303.**

Eulitz C, Ullsperger P, Freude G, Elbert T (1998): **Mobile phones modulate response patterns of human brain activity.** NeuroReport 9:3229-32.

European Committee for Electrotechnical Standardization (CENELEC) (1995): **Human exposure to Electromagnetic fields high frequency (10 kHz to 300 GHz)**. European Prestandard prepared by the European Committee for Electrotechnical Standardization.

Everaert J, Bauwens D (2007): **A possible effect of electromagnetic radiation from mobile phone base stations on the number of breeding house sparrows (*Passer domesticus*)**. *Electromag Biol Med*. 26:63-72

Federal Communication Commission (1996): **Effects of Radiofrequency Radiation**. [ET Docket No. 93-62] Federal Communication Commission, Washington, DC.

Fejes I, Zavaczki Z, Szollosi J, Koloszar S, et al (2005): **Is there a relationship between cell phone use and semen quality**. *Archives of Andrology* 51:385-393.

Ferreri F, Curcio G, Pasqualetti P, De Gennaro L, et al. (2006): **Mobile phone emissions and human brain excitability**. *Ann Neurol* 60:188-196.

Ferreira AR, Bonatto F, Pasquali MA, Polydoro M, et al. (2006): **Oxidative stress effects on the central nervous system of rats after acute exposure to ultra high frequency electromagnetic fields**. *Bioelectromagnetics* 27:487-493.

Feychting M (2005): **Non-cancer EMF effects related to children**. *Bioelectromagnetics* 26, issue S7:S69-74.

Finkelstein MM (1998): **Cancer incidence among Ontario police officers**. *Amer J Ind Med* 34:157-162.

Finnie JW, Blumberg PC, Manavis J, Utteridge TD, et al. (2002): **Effect of long-term mobile communication microwave exposure on vascular permeability in mouse brain**. *Pathology* 34:344-347.

Finnie JW (2005): **Expression of the immediate early gene, c-fos, in mouse brain after acute global system for mobile communication microwave exposure**. *Pathology* 37:231-3.

Finnie JW, Blumberg PC, Cai Z, Manavis J, et al.(2006): **Neonatal mouse exposure to mobile telephony and effect on blood-brain barrier**. *Pathology* 38:262-263.

Flyckt VMM, Raaymakers BW, Kroeze H and Lagendijk JJW (2007): **Calculation of SAR and temperature rise in a high-resolution vascularized model of the human eye and orbit when exposed to a dipole antenna at 900, 1500 and 1800 MHz**. *Phys Med Biol* 52: 2691-2701.

Foster KR, Moulder JE.(2000): **Are mobile phones safe?** *IEEE Spectrum Online* August 2000;37 (8).

Foster KR, Repacholi M, Vecchia P (2000): **Science and the precautionary principle**. *Science* 288:979-981.

Foster KR, Repacholi MH (2004): **Biological effects of radiofrequency fields: Does modulation matter?** *Radiat Res* 162:219-225.

Foster KR, Glaser R (2007): **Thermal mechanisms of interaction of radiofrequency energy with biological systems with relevance to exposure guidelines**. *Health Phys* 92:609-620.

Franke H, Ringelstein EB, Stogbauer F (2005a): **Electromagnetic fields (GSM 1800) do not alter blood-brain barrier permeability to sucrose in models in vitro with high barrier tightness**. *Bioelectromagnetics* 26:529-535.

Franke H, Streckert J, Bitz A, Goeke J, et al. (2005b): **Effects of universal mobile telecommunications system (UTMS) electromagnetic fields on the blood-brain barrier in vitro**. *Radiat Res*164:259-269.

- Frei MR, Berger RE, Dusch SJ, Guel V, et al. (1998): **Chronic exposure of cancer-prone mice to low-level 2450 MHz radiofrequency radiation.** *Bioelectromagnetics* 19:20-31.
- Frei MR, Jauchem JR, Dusch SJ, Merritt JH, et al. (1998): **Chronic, low-level (1.0W/kg) exposure of mice prone to mammary cancer to 2450 MHz microwaves.** *Radiat Res* 150:568-576.
- French PW, Penny R, Laurence JA, McKenzie DR (2001): **Mobile phones, heat shock proteins and cancer.** *Differentiation* 67:93-97.
- Freude G, Ullsperger P, Eggert S, Ruppe I (1998): **Effects of microwaves emitted by cellular phones on human slow brain potentials.** *Bioelectromagnetics* 19:384-7.
- Freude G, Ullsperger P, Eggert S, Ruppe I (2000): **Microwaves emitted by cellular telephones affect human slow brain potentials.** *Eur J Appl Physiol* 81:18-27.
- Frey AH, Feld SR, Frey B (1975): **Neural function and behavior: Defining the relationship.** *Ann NY Acad Sci* 247:433-438.
- Frey (1984): **Possible modification of the blood-vitreous humor barrier of the eye with electromagnetic energy.** *Journal of Bioelectricity* 3:281-292.
- Frey A (1998): **Headaches from cellular telephones: are they real and what are the implications?** *Environ Health Perspect* 106:101-103.
- Frey AH (2001): **Cellular telephones and brain cancer: Current research.** *Envir Health Perspect* 109:A200.
- Friedman J, Kraus S, Hauptman Y, Schiff Y, et al. (2007): **Mechanism of short-term ERK activation by electromagnetic fields at mobile phone frequencies.** *Biochem J* 405:559-568.
- Fritze K, Wiessner C, et al. (1997): **Effect of global system for mobile communication microwave exposure on the genomic response of the rat brain.** *Neuroscience* 81(3):627-639.
- Fritzer G, Goder R, Friege L, Wachter J et al. (2007): **Effects of short- and long-term pulsed radiofrequency electromagnetic fields on night sleep and cognitive functions in healthy subjects.** *Bioelectromagnetics* 28:316-325.
- Frumkin H, Jacobson A, Gansler T, Thun MJ (2001): **Environmental carcinogens - cellular phones and risk of brain tumors.** *CA Cancer J Clin* 51:137-141.
- Funch DP, Rothman KJ, Loughlin JE, Dreyer NA (1996): **Utility of telephone company records for epidemiologic studies of cellular telephones.** *Epidemiology* 7:299-302.
- Gadhia PK, Shah T, Mistry A, Pithawala M, et al. (2003): **A preliminary study to assess possible chromosomal damage among users of digital mobile phones.** *Electromagnetic Biology and Medicine* 22:149-159.
- Gajda GB, McNamee JP, Thansandote A, Boonpanyarak S, et al. (2002): **Cylindrical waveguide applicator for in vitro exposure of cell culture samples to 1.9 - GHz radiofrequency fields.** *Bioelectromagnetics* 23:592-598.
- Gale BD, Juran D (2006): **Re: Cellular telephones and risk for brain tumors: A population-based, incident case-control study, by Christensen HC, et al.** *Neurology* 66:781.

Galloni P, Lovisollo GA, Mancini S, Parazzini M, et al. (2005): **Effects of 900 MHz electromagnetic fields exposure on cochlear cells functionality in rats: Evaluation of distortion product otoacoustic emissions.** *Bioelectromagnetics* 26:536-547.

Gandhi OP, Chen JY (1996): **Millimeter-resolution dosimetry for EM fields from mobile telephones and power lines.** *Biological effects of magnetic and electromagnetic fields*, pp.139-50, ed. by S. Ueno, Plenum Press, New York.

Gandhi OP, Lazzi G, Furse CM (1996): **Electromagnetic absorption in the human head and neck for mobile telephones at 835 and 1900 MHz.** *IEEE Transactions on Microwave Theory and Techniques* 44:1884-1897.

Gandhi OP, Kang G (2002): **Some present problems and a proposed experimental phantom for SAR compliance testing of cellular telephones at 835 and 1900 MHz.** *Phys Med Biol* 47:1501-1518.

Gandhi OP, Kang G (2004): **Inaccuracies of a plastic "pinna" SAM for SAR testing of cellular telephones against IEEE and ICNIRP safety guidelines.** *IEEE Transactions on Microwave Theory and Techniques* 52: 2004-2012.

Garaj-Vrhovac V, Horvat D, Koren Z. (1990): **The effect of microwave radiation on the cell genome.** *Mutation Res* 243:87-93.

Garaj-Vrhovac V, Horvat D, Koren Z. (1991): **The relationship between colony-forming ability, chromosome aberrations and incidence of micronuclei in V79 Chinese hamster cells exposed to microwave radiation.** *Mutation Research* 263:143-9.

Garland FC, Shaw E, Gorham ED, Garland CF, et al. (1990): **Incidence of leukemia in occupations with potential electromagnetic field exposure in United States navy personnel.** *Amer J Epidemiol* 132:293-303.

Gatta, L, Pinto R, Ubaldi V, Pace L. (2003): **Effects of in vivo exposure to GSM-modulated 900 MHz radiation on mouse peripheral lymphocytes.** *Radiat Res* 160:600-605.

Goldman H, Lin JC, Murphy S, Lin MF (1984): **Cerebrovascular permeability to ⁸⁶Rb in the rat after exposure to pulsed microwaves.** *Bioelectromagnetics* 5:323-330.

Goldsmith JR (1997): **Epidemiologic evidence relevant to radar (microwave) effects.** *Environ Health Perspect* 105:1579-87.

Goldstein BD (2001): **The precautionary principle also applies to public health actions.** *AJPH* 91:1358-1361.

Gorlitz B-D, Muller M, Ebert S, Hecker H, et al. (2005): **Effects of 1-week and 6-week exposure to GSM/DCS radiofrequency radiation on micronucleus formation in B6C3F1 mice.** *Radiat Res* 164:431-439

Gos P, Eicher B, Kohli J, Heyer W-D (2000): **No mutagenic or recombinogenic effects of mobile phone fields at 900 MHz detected in the yeast *Saccharomyces cerevisiae*.** *Bioelectromagnetics* 21:515-523.

Goswami PC, Albee LD, Parsian AJ, Baty JD, et al. (1999): **Proto-oncogene mRNA levels and activities of multiple transcription factors in C3H 10T1/2 murine embryonic fibroblasts exposed to 835.62 and 847.74 MHz cellular phone communication frequency radiation.** *Radiat Res* 151:300-309.

Government of Australia (1998): **Minister for Communications and the Arts. Government acts on community concerns about exposure to electromagnetic energy.** [media release] May 10.

Grayson JK (1996): **Radiation exposure, socioeconomic status, and brain tumor risk in the US Air Force: A nested case-control study.** Am J Epidemiol 143:480-6.

Grigoriev Y (2004): **Mobile phones and children: Is precaution warranted? (Letter).** Bioelectromagnetics 25:322-323.

Groves FD, Page WF, Gridley G, Lisimaque L, et al. (2002): **Cancer in Korean War Navy technicians: Mortality survey after forty years.** Ann Epidemiol 12:488-534.

Gurney JG, Kadan-Lottick N (2001): **Brain and other central nervous system tumors: rates, trends, and epidemiology.** Current Opinion in Oncology 13:160-166.

Guy AW, Kramar PO, Harris CA, Chou CK (1980): **Long-term 2450-MHz CW microwave irradiation of rabbits: methodology and evaluation of ocular and physiologic effects.** J Microwave Power 15:37.

Haarala C, Bjornberg L, Ek M, Laine M, et al. (2003): **Effect of 902 MHz electromagnetic field emitted by mobile phones on human cognitive function: A replication study.** Bioelectromagnetics 24:283-288.

Haarala C, Aalto S, Hautzel H, Julkunen L, et al. (2003): **Effects of a 902 MHz mobile phone on cerebral blood flow in humans: A PET study.** NeuroReport 14:2019-2023.

Haarala C, Ek M, Bjornberg L, Laine M, et al. (2004): **902 MHz mobile phone does not affect short term memory in humans.** Bioelectromagnetics 25:452-456.

Haarala C, Bergman M, Laine M, Revonsuo A, et al. (2005): **Electromagnetic field emitted by 902 MHz mobile phones shows no effect on children's cognitive function.** Bioelectromagnetics 26, issue S7:S144-150.

Haarala C, Takio F, Rintee T, Laine M, et al. (2007): **Pulsed and continuous wave mobile phone exposure over left versus right hemisphere: Effects on human cognitive function.** Bioelectromagnetics 28: 289-295.

Habash RWY, Brodsky LM, Leiss W, Krewski D, Repacholi M (2003): **Health risks of electromagnetic fields. Part II: Evaluation and assessment of radio frequency radiation.** Crit Rev Biomed Eng 31:197-254.

Hallberg Ö, Johansson O (2004): **Mobile handset output power and health.** Electromagnetic Biology and Medicine. 23:229-239.

Hallberg Ö, Johansson O (2005): **Alzheimer's Mortality - why does it increase so fast in sparsely populated areas?** European Biology and Bioelectromagnetics 1:225-246.

Hallberg Ö (2007): **Adverse health indicators correlating with sparsely populated areas in Sweden.** Eur J Cancer Prev 16:71-76.

Hamblin DL, Wood AW (2002): **Effects of mobile phone emissions on human brain activity and sleep variables.** Int J Radiat Biol 78:659-669.

Hamblin D, Wood AW, Croft RJ, Stough C (2004): **Examining the effects of electromagnetic fields emitted by GSM phones on human event-related potentials and performance during an auditory task.** Clinical Neurophysiology 115:171-178.

Hamblin D, Croft RJ, Wood AW, Stough C, et al. (2006): **The sensitivity of human event-related potentials and reaction time to mobile phone emitted electromagnetic fields.** Bioelectromagnetics 27:265-273.

Hamrick PE, Fox SS (1977): **Rat lymphocytes in cell culture exposed to 2450 MHz (CW) microwave radiation.** J Microw Power 12:125-32.

Harper CG, Lee VK (2001): **Mobile phones and your health.** Pathology 33:269-270.

Hardell L, Nasman A, Pahlson A, et al. (1999): **Use of cellular telephones and the risk for brain tumours: A case-control study.** Int J Oncol 15:113-6.

Hardell L, Nasman A, Pahlson A, Hallquist A (2000): **Case-control study on radiology work, medical x-ray investigations, and use of cellular telephones as risk factors for brain tumors.** MedGenMed, May 4, 2000 (www.medscape.com/journal/MedGenMed)

Hardell L, Mild KH (2001): **Cellular telephones and risk of brain tumours (letter).** Lancet 357:960-1.

Hardell L, Mild KJ (2001): **Handheld cellular telephones and brain cancer risk (letter).** JAMA 285:1838.

Hardell L, Hallquist A, Mild KH, Carlberg M, et al. (2002): **Cellular and cordless telephones and the risk for brain tumours.** Eur J Cancer Prev 11:377-386.

Hardell L, Mild KH, Carlberg M (2002): **Case-control study on the use of cellular and cordless phones and the risk for malignant brain tumours.** Int J Radiat Biol 78:931-936.

Hardell L, Mild KH, Carlberg M. (2003): **Further aspects on cellular and cordless phones and brain tumours.** Int J Oncol 22:399-407.

Hardell L, Mild KH, Sandstrom M, Carlberg M, et al. (2003): **Vestibular schwannoma, tinnitus, and cellular telephones.** Neuroepidemiology 22:124-129.

Hardell L, Hallquist A, Mild KH, Carlberg M, et al. (2004): **No association between the use of cellular or cordless telephones and salivary gland tumours.** Occup Environ Med 61:675-679.

Hardell L, Mild KH (2004): **Re: Cellular telephones and risk of acoustic neuroma (letter).** Am J Epidemiol 160-923.

Hardell L, Mild KH (2005): **Re: Mobile phone use and acoustic neuromas, by Lonn et al.** Epidemiology 16:415.

Hardell L, Carlberg M, Mild KH (2005a): **Use of cellular telephones and brain tumour risk in urban and rural areas.** Occup Environ Med 62:390-394.

Hardell L, Carlberg M, Mild KH (2005b): **Case-control study in cellular and cordless telephones and the risk for acoustic neuroma or meningioma in patients diagnosed 2002-20003.** Neuroepidemiology 25:120-128.

Hardell L, Carlberg M, Mild KH (2006a): **Pooled analysis of two case-control studies on the use of cellular and cordless telephones and the risk of benign brain tumours diagnosed during 1997-2003.** Int J Oncol 228:509-518.

Hardell L, Carlberg M, Mild KH (2006b): **Case-control study of the association between the use of cellular and cordless telephones and malignant brain tumours diagnosed during 2000-2003.** Environ Res 100:232-241.

Hardell L, Carlberg M, Mild KH (2006c): **Pooled analyses of two case-control studies on use of cellular and cordless telephones and the risk for malignant brain tumours diagnosed in 1997-2003.** Int Arch Occup Environ Health, published on-line March 16.

- Hardell L, Carlberg M, Ohlson C-G, Westberg H, et al. (2006): **Use of cellular and cordless telephones and risk of testicular cancer.** International Journal of Andrology ISSN 0105-6263.
- Hardell L, Mild KH (2006): **Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries (letter).** Brit J Cancer 94:1348-9
- Hardell LO, Carlberg M, Söderquist F, Hansson Mild K, et al. (2007): **Long-term use of cellular phones and brain tumours - increased risk associated with use for > 10 years.** Occup Environ Med published online 4 Apr 2007; doi:10.1136/oem.2006.029751
- Harper CG, Lee VK (2001): **Editorial: Mobile phones and your health.** Pathology 33:269-270.
- Harvey C, French PW (1999): **Effects on protein kinase C and gene expression in a human mast cell line, HMC-1, following microwave exposure.** Cell Biol Int 23:739-748.
- Hata K, Yamaguchi Y, Tsurita G, Watanabe S, et al. (2005): **Short term exposure to 1439 MHz pulsed TDMA field does not alter melatonin synthesis in rats.** Bioelectromagnetics 26:49-53.
- Hayes DL, Wang PJ, Reynolds DW, Estes M, et al. (1997): **Interference with cardiac pacemakers by cellular telephones.** N Engl J Med 336:1473-1479.
- Hayes RB, Brown LM, Pottern LM, et al. (1990): **Occupation and risk of testicular cancer: a case-control study.** Int J Epidemiol 19:825-31.
- Health Canada (1999): **Safety Code 6: Limits of human exposure to radiofrequency electromagnetic fields in the frequency range from 3 kHz to 300 GHz.** Ottawa: Health Canada. (Website: www.hc-sc.gc.ca/rpb).
- Health Canada (1997): **An Overview: A Survey of Radiofrequency Emissions at Five Vancouver-area Schools.** [Information sheet] Ottawa: Health Canada.
- Health Canada (Feb 1998): **Report on a survey of radiofrequency emissions at five Vancouver area schools** by Gajda G, Lecuyer D, Thansandote A.
- Health Council of the Netherlands: Radiofrequency Radiation Committee (1998): **Radiofrequency electromagnetic fields (300 Hz - 300 GHz). Summary of an advisory report.** Health Phys 75:51-55.
- Health Council of the Netherlands. **Mobile telephones; an evaluation of health effects.** The Hague: Health Council of the Netherlands, 2002; publication no. 2002/OIE.
- Heikkinen P, Kumlin T, Laitinen JT, Komulainen H, et al. (1999): **Chronic exposure to 50-Hz magnetic fields or 900-MHz electromagnetic fields does not alter nocturnal 6-hydroxymelatonin sulfate secretion in CBA/s mice.** Electro- and Magnetobiology 18:33-42.
- Heikkinen P, Kosma V-M, Hongisto T, Huuskonen H, et al. (2001): **Effects of mobile phone radiation on X-ray induced tumorigenesis in mice.** Radiat Res 156:775-785.
- Heikkinen P, Kosma V-M, Alhonen L, Huuskonen H, et al. (2003): **Effects of mobile phone radiation on UV-induced skin tumourigenesis in ornithine decarboxylase transgenic and non-transgenic mice.** Int J Radiat Biol 79:221-233.
- Heikkinen P, Huuskonen H, Komulainen H, Kumlin T, et al. (2006): **No effects of radiofrequency radiation on 3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone-induced tumorigenesis in female Wistar rats.** Radiat Res 166:397-408.

- Hepworth SJ, Schoemaker MJ, Muir KR, Swerdlow AJ, et al. (2006): **Mobile phone use and risk of glioma in adults: case-control study.** BMJ (published online 20 January)
- Hermann DM, Hossmann K-A (1997): **Neurological effects of microwave exposure related to mobile communication.** J Neurol Sci 152:1-14.
- Heynick LN, Johnston SA, Mason PA (2003): **Radio frequency electromagnetic fields: Cancer, mutagenesis, and genotoxicity.** Bioelectromagnetics Supplement 6:S74-100.
- Heynick LN, Merritt JH (2003): **Radiofrequency fields and teratogenesis.** Bioelectromagnetics Supplement 6:174-186.
- Hietanen M, Kovala T, Hamalainen A-M et al. (1997): **EEG activity of the human brain during exposure to cellular phones.** 2nd World Congress for Electricity and Magnetism in Biology and Medicine, Bologna, Italy.
- Hietanen M, Kovala T, Hamalainen A-M (2000): **Human brain activity during exposure to radiofrequency fields emitted by cellular phones.** Scand J Work Environ Health 26:87-92.
- Hietanen M, Hamalainen A-M, Husman T (2002): **Hypersensitivity symptoms associated with exposure to cellular telephones: No causal link.** Bioelectromagnetics 23:264-270.
- Higashikubo R, Culbreth VO, Spitz DR, et al. (1999): **Radiofrequency electromagnetic fields have no effect on the in vivo proliferation of the 9L brain tumour.** Rad Res 152:665-671.
- Higashikubo R, Ragouzis M, Moros EG, Straube WL, et al. (2001): **Radiofrequency electromagnetic fields do not alter the cell cycle progression of C3H 10T½ and U87 MG cells.** Radiat Res 156:786-795
- Hillert L, Berglind N, Arnetz BB, Bellander T (2002): **Prevalence of self-reported hypersensitivity to electric or magnetic fields in a population-based questionnaire survey.** Scand J Work Environ Health 28:33-41.
- Hinrichs H, Heinze H-J (2004): **Effects of GSM electromagnetic field on the MEG during an encoding-retrieval task.** Neuroreport 15:1191-1194.
- Hinrikus H, Parts M, Lass J, Tuulik V(2004): **Changes in human EEG caused by low level modulated microwave stimulation.** Bioelectromagnetics 25:431-440.
- Hinrikus H, Bachmann M, Lass J, Tomson R, et al. (2007): **Effect of 7, 14, and 21 Hz modulated 450 MHz microwave radiation on human electroencephalographic rhythms.** Int J Radiat Biol 84:69-79.
- Hirata A, Watanabe S, Kojima M, Hata I, et al. (2006): **Computational verification of anesthesia effect on temperature variations in rabbit eyes exposed to 2.45 GHz microwave energy.** Bioelectromagnetics 27:602-612.
- Hirose H, Sakuma N, Kaji N, Suhara T, et al. (2006): **Phosphorylation and gene expression of p53 are not affected in human cells exposed to 2.1425 GHz band CW or W-CDMA modulated radiation allocated to mobile hone radio base stations.** Bioelectromagnetics 27:494-504.
- Hirose H, Sakuma N, Kaji N, Nakayama K, et al. (2007): **Mobile phone base station-emitted radiation does not induce phosphorylation of Hsp27.** Bioelectromagnetics 28:99-108.
- Hirose H, Suhara T, Kaji N, Sakuma N, Sekijima M, Nojima T, Miyakoshi J. (2008): **Mobile phone base station radiation does not affect neoplastic transformation in BALB/3T3 cells.** Bioelectromagnetics 29(1):55-64.

- Hocking B, Gordon IR, Grain HL, Hatfield GE (1996): **Cancer incidence and mortality and proximity to TV towers.** Med J Aus 165:601-5.
- Hocking B (1998): **Preliminary report: Symptoms associated with mobile phone use.** Occup Med 48:357-360.
- Hocking B (1998): **Brain tumours and mobile phones (letter).** Med J Aust 168:48.
- Hocking B, Westerman R (2000): **Neurological abnormalities associated with mobile phone use.** Occup Med 50:366-368.
- Hocking B (2006): **Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries (letter).** Brit J Cancer 94:1350.
- Holly EA, Aston DA, Ahn DK, et al. (1996): **Intraocular melanoma linked to occupations and chemical exposures.** Epidemiology 7:55-61.
- Hondou T (2002): **Rising level of public exposure to mobile phones: Accumulation through additivity and reflectivity.** J Phys Soc Jpn 71:432-435.
- Hook G, Zhang P, Lagroye I, Higashikubo R, et al. (2004): **Measurement of DNA damage and apoptosis in Molt-4 cells after in vitro exposure to radiofrequency radiation.** Radiat Res 161:193-200.
- Hook GJ, Spitz DR, Sim JE, Higashikubo R, Baty JD, et al. (2005): **Evaluation of parameters of oxidative stress after in vitro exposure to FMCW- and CDMA- modulated radiofrequency radiation fields.** Radiat Res 163:497-504.
- Hossmann K-A, Hermann DM (2003): **Effects of electromagnetic radiation of mobile phones on the central nervous system.** Bioelectromagnetics 24:49-62.
- Hours M, Bernard M, Montestrucq L, Arslan M, et al. (2007): **Téléphone mobile, risque de tumeurs cérébrales et du nerf vestibulaacoustique: l'étude cas-témojn INTERPHONE en France. (Cell phones and risk of brain and acoustic nerve tumours: the French INTERPHONE case-control study).** Revue d'Épidémiologie et de Santé Publique 2007, doi: 10.10.16/j.respe.2007.06.002
- House R (1999): **Radiofrequency radiation exposure and other environmental concerns.** CMAJ 160:1318-9.
- Höytö A, Juutilainen J, Naarala J (2007): **Ornithine decarboxylase activity is affected in primary astrocytes but not in secondary cell lines exposed to 872 MHz RF radiation.** Int J Radiat Biol 83:367-374.
- Höytö A, Juutilainen J, Naarala L. **Ornithine decarboxylase activity of L929 cells after exposure to continuous wave or 50 Hz modulated radiofrequency radiation - a replication study.** Bioelectromagnetics 28:501-508.
- Huang T-Q, Lee J-S, Kim T-H, Paek J-K, et al. (2005): **Effect of radiofrequency radiation exposure on mouse skin tumorigenesis initiated by 7,12-dimethylbenz(a)anthracene.** Int J Radiat Biol 81:861-867.
- Huber R, Graf T, Cote KA, Wittman L, et al. (2000): **Exposure to pulsed high-frequency electromagnetic field during waking affects human sleep EEG.** NeuroReport 11:3321-3325.
- Huber R, Treyer V, Borbely AA, Schuderer J, et al. (2002): **Electromagnetic fields, such as those from mobile phones, alter regional cerebral blood flow and sleep and waking EEG.** J Sleep Res 11:289-235.

- Huber R, Schuderer J, Graf T, Jutz K, et al. (2003): **Radio frequency electromagnetic field exposure in humans: Estimation of SAR distribution in the brain, effects on sleep and heart rate.** *Bioelectromagnetics* 24:262-276.
- Huber R, Treyer V, Schuderer J, Berthold T, et al. (2005): **Exposure to pulse-modulated radio frequency electromagnetic fields affects regional blood flow.** *Eur J Neurosci* 21:1000-6.
- Hung CS, Anderson C, Horne JA, McEvoy P (2007): **Mobile phone "talk-mode" signal delays EEG-determined sleep onset.** *Neurosci Lett* 421:82-6.
- Hurley M, Maher M, Staines A, Walton P (1998): **Safety of the Eircell mobile phone system.** [Report] Dublin: Eircell House.
- Huss A, Egger M, Hug K, Huwiler-Muntener K, et al. (2007): **Source of funding and results of studies of health effects of mobile phone use: Systematic review of experimental studies.** *Environ Health Perspect* 115:1-4.
- Hutter H-P, Moshammer H, Wallner P, Kundi M. (2006): **Subjective symptoms, sleeping problems, and cognitive performance in subjects living near mobile phone base stations.** *Occup Environ Med* 63:307-313.
- Hyland GJ (2000): **Physics and biology of mobile telephony.** *Lancet* 356:1833-1836.
- IEGMP (2000). **Mobile phones and health.** Independent Expert Group on Mobile Phones. National Radiological Protection Board, Chilton, UK.
- Ilhan A, Gurel A, Armutcu F, Kamisli S, et al. (2004): **Ginkgo biloba prevents mobile phone-induced oxidative stress in rat brain.** *Clinica Chemica Acta* 340:153-162.
- Imaida K, Taki M et al. (1998a): **Lack of promoting effects of the electromagnetic near-field used for cellular phones (929.2 MHz) on rat liver carcinogenesis in a medium-term liver bioassay.** *Carcinogenesis* 19:311-314.
- Imaida K, Taki M, et al. (1998b): **The 1.5 GHz electromagnetic near-field used for cellular phones does not promote rat liver carcinogenesis in a medium-term liver bioassay.** *Jpn J Cancer Res* 89:995-1002.
- Imaida K, Kuzutani K, Wang J, Fujiwara O, et al. (2001): **Lack of promotion of 7,12-dimethylbenz(a)anthracene initiated mouse skin carcinogenesis by 1.5 GHz electromagnetic near fields.** *Carcinogenesis* 11:1837-1841.
- Inomata-Terada S, Okabe S, Arai N, Hanajima R, et al. (2007): **Effects of high frequency electromagnetic field (EMF) emitted by mobile phones on the human motor cortex.** *Bioelectromagnetics* 28:553-561.
- Inskip PD, Hatch EE, Stewart PA, et al. (1999): **Study design for a case-control investigation of cellular telephones and other risk factors for brain tumours in adults.** *Radiation Protection Dosimetry* 86:45-52.
- Inskip PD, Tarone RE, Hatch EE, Wilcosky TC, et al. (2001): **Cellular-telephone use and brain tumors.** *N Engl J Med* 344:79-86.
- Inskip PD (2001): **Frequent radiation exposures and frequency-dependent effects: The eyes have it.** *Epidemiology* 12:1-4.
- Inskip PD, Tarone RE, et al. (2001): **Cellular telephones and brain tumors (letter).** *N Engl J Med* 344:1332.

International Agency for Research on Cancer (IARC) (1997): **International case control study of adult brain, head and neck tumours**. Phase I – Feasibility study protocol from the meeting on proposed international collaborative case control study of adult brain tumours, London, October 8-9.

International Commission on Non-Ionizing Radiation Protection (ICNIRP) (1995): **Health hazard assessment of exposure to radio frequency fields from mobile telephone base stations–review of the science**.

International Commission on Non-Ionizing Radiation Protection (ICNIRP) (1996): **Health issues related to the use of hand-held radiotelephones and base transmitters**. Health Phys 70(4):587-593.

International Commission on Non-Ionizing Radiation Protection (ICNIRP) (1998): **Guidelines for limiting exposure to time-varying electric, magnetic, and electromagnetic fields (up to 300 Ghz)**. Health Phys 74:494-522.

International Commission on Non-Ionizing Radiation Protection (ICNIRP) (2002): **General approach to protection against non-ionizing radiation**. Health Physics 82:540-548.

International Electrical and Electronic Engineering Organization (IEEE) (1991): **IEEE Standard for safety levels with respect to human exposure to radio frequency electromagnetic fields, 3kHz to 300 GHz**, sponsored by IEEE Standards Coordinating Committee 28 on Non-Ionizing Radiation Hazards, IEEE C95.1-1991.

Inyang I, Benke G, McKenzie R, Abramson M (2007): **Comparison of measuring instruments for radiofrequency radiation from mobile telephones in epidemiological studies: Implications for exposure assessment**. J Expo Anal Environ Epidemiol 28 February 2007;doi:10.1038/sj.jes.7500555.

Irlenbusch L, Bartsch B, Cooper J, Herget I, et al. (2007): **Influence of a 902.4MHz GSM signal on the human visual system: Investigation of the discrimination threshold**. Bioelectromagnetics 28:648-654.

Irmak K, Fadillioglu E, Gulec M, Erdogan H, et al. (2002): **Effects of electromagnetic radiation from a cellular telephone on the oxidant and antioxidant levels in rabbits**. Cell Biochem Funct 279-283.

Ivaschuk OI, Jones RA, et al.(1997): **Exposure of nerve growth factor-treated PC12 rat pheochromocytoma cells to a modulated radiofrequency field at 836.55 MHz: effects on c-jun and c-fos expression**. Bioelectromagnetics 18:223-229.

Jamieson D, Wartenberg D (2001): **The precautionary principle and electric and magnetic fields**. AJPH 91:1355-1358.

Janssen T, Boege P, von Mikusch-Buchberg J, Raczek J (2005): **Investigation of potential effects of cellular phones on human auditory function by means of distortion product otoacoustic emissions**. J Acoust Soc Am 117:1241-7.

Janssens JP (2005): **Mobile phones and cancer?** Eur J Cancer Prev 14:81-82.

Jarupat S, Kawabata A, Tokura H, Borkiewicz A (2003): **Effects of the 1900 MHz electromagnetic field emitted from cellular phone on nocturnal melatonin secretion**. J Physiol Anthropol 22:61-63.

Jauchem JR (2005): **Letter to the Editor concerning Lai's letter on "Radial arm maze performance of rats following repeated low level microwave radiation exposure"** (Bioelectromagnetics 25:49-57 (2004)). Bioelectromagnetics 26:525.

Jauchem JR (1998): **Health effects of microwave exposures: A review of the recent (1995-1998) literature**. J Microwave Power Electromagn Energy 33:263-274.

- Jauchem JR. (2003): **A literature review of medical side effects from radio-frequency energy in the human environment: involving cancer, tumours, and problems of the central nervous system.** J Microw Power Electromagn Energy 38:103-123.
- Jech R, Sonka K, Ruzicka E, Nebuzelsky, et al. (2001): **Electromagnetic field of mobile phone affects visual event related potential in patients with narcolepsy.** Bioelectromagnetics 22:519-528.
- Jensh RP (1997): **Behavioural teratologic studies using microwave radiation: is there an increased risk from exposure to cellular phones and microwave ovens?** Reprod Toxicol 11:601-611.
- Jia F, Ushiyama A, Masuda H, Lawlor GF, et al. (2007): **Role of blood flow on RF exposure induced skin temperature elevations in rabbit ears.** Bioelectromagnetics 28:163-172.
- Johansen C, Olsen JH (1999): **Cellular telephones, magnetic field exposure, risk of brain tumours and cancer at other sites: A cohort study.** Rad Prot Dos 83:155-7.
- Johansen C, Boice JD, McLaughlin JK, Olsen JH (2001): **Cellular telephones and cancer - a nationwide cohort study in Denmark.** J Natl Cancer Inst 93:203-207.
- Johansen C, Boice JD Jr, McLaughlin JK, Olsen JM (2002): **Mobile phones and malignant melanoma of the eye.** Br J Cancer 86:348-9.
- Johansen C (2004): **Electromagnetic fields and health effects - epidemiologic studies of cancer, diseases of the central nervous system, and arrhythmia-related heart disease.** Scand J Work Environ Health 30:Suppl 1:1-30.
- Johnston SA, Scherb H (2005): **Re: Mobile phone use and acoustic neuromas, by Lonn et al.** Epidemiology 16:416.
- Jokela K, Puranen L, Sihvonen A-P (2004): **Assessment of the magnetic field exposure due to the battery current of digital mobile phones.** Health Phys 86:56-66.
- Joubert V, Leveque P, Rametti A, Collin A, et al. (2006): **Microwave exposure of neuronal cells in vitro: study of apoptosis.** Int J Radiat Biol 82:267-275.
- Joubert V, Leveque P, Cueille M, Bourthoumieu S, et al. (2007): **No apoptosis is induced in rat cortical neurons exposed to GSM phone fields.** Bioelectromagnetics 28:115-121.
- Joubert V, Bourthoumieu S, Leveque P, Yardin C. (2008): **Apoptosis is Induced by Radiofrequency Fields through the Caspase-Independent Mitochondrial Pathway in Cortical Neurons.** *Radiat Res* 169: 38–45.
- Justesen DR (1980): **Microwave irradiation and the blood-brain barrier.** Proc IEEE 68:60-67.
- Juutilainen J, de Seze R (1998): **Biological effects of amplitude-modulated radiofrequency radiation.** Scand J Work Environ Health 24:245-54.
- Juutilainen J, Heikkinen P, Soikkeli H, Maki-Paakkanen J (2007): **Micronucleus frequency in erythrocytes of mice after long-term exposure to radiofrequency radiation.** Int J Radiat Biol 83:213-220.
- Kamimura Y, Saito K-I, Saiga T, Amenyima Y (1994): **Effect of 2.45 GHz microwave irradiation on monkey eyes.** IEICE Trans Commun, E77-B: 762-765.
- Kan P, Simonsen SE, Lyon JL, Kestle JRW (2007): **Cellular phone use and brain tumor: a meta-analysis.** J Neurooncol DOI 10.1007/s11060-007-9432-1

- Kane RC (2001): **Cellular telephones and brain tumors (letter)**. N Engl J Med 344:1332.
- Kane RC (2001): **Handheld cellular telephones and brain cancer risk (letter)**. JAMA 285:1838.
- Kang G, Gandhi OP (2002): **SARs for pocket-mounted mobile telephones at 835 and 1900 MHz**. Phys Med Biol 47:4301-4313.
- Katzman GL, Dagher AP, Patronas NJ (1999): **Incidental findings on brain magnetic resonance imaging from 1000 asymptomatic volunteers**. JAMA 282:36-39.
- Kaune WT (1993): **Introduction to power-frequency electric and magnetic fields**. Environ Health Perspec 101 (Suppl 4):73-81.
- Kellenyi L, Thuroczy GY, Faludy B, Lenard L (1999): **Effects of mobile GSM radiotelephone exposure on the auditory brainstem response**. Neurobiology 7:79-81.
- Keshvari J, Lang S. **Comparison of radio frequency energy absorption in ear and eye region of children and adults at 900, 1800 and 2450 MHz**. Phys Med Biol 2005;50:4355-4369.
- Khiat A, Boulanger Y, Breton G (2006): **Monitoring the effect of mobile phone use on the brain by proton magnetic resonance spectroscopy**. Int J Radiat Biol 82:681-685.
- Kim SC, Nam KC, Kim DW (2006): **Estimation of relative exposure levels for cellular telephone users using a neural network**. Bioelectromagnetics 27:440-444.
- Kimata H (2003): **Enhancement of allergic skin wheal responses in patients with atopic eczema/dermatitis syndrome by playing video games or by a frequently ringing mobile phone**. Eur J Clin Invest 33:513-517.
- Kimata H (2005): **Microwave radiation from cellular phones increases allergen-specific IgE production**. Allergy 60:838-9
- King RWP (2000): **Electric currents and fields induced in cells in the human brain by radiation from hand-held cellular telephones**. J Appl Phys 87:893-900.
- Klaeboe L, Blaasaas KG, Tynes T (2007): **Use of mobile phones in Norway and risk of intracranial tumours**. Eur J Cancer Prev 16:158-164
- Koivisto M, Revonsuo A, Krause C, et al. (2000 a): **Effects of 902 MHz electromagnetic field emitted by cellular telephones on response times in humans**. NeuroReport 11:413-5.
- Koivisto M, Krause CM, Revonsuo A, Laine M, Hamalainen H (2000 b): **The effects of electromagnetic field emitted by GSM phones on working memory**. NeuroReport 11:1641-1643.
- Koivisto M, Haarala C, Krause CM, Revonsuo A, et al. (2001): **GSM phone signal does not produce subjective symptoms**. Bioelectromagnetics 22:212-215.
- Kojima M, Hata I, Wake K, Watanabe S-I, et al. (2004): **Influence of anesthesia and temperature in rabbit eyes exposed to microwaves**. Bioelectromagnetics 228-233.
- Kolodynski AA, Kolodynska VV (1996): **Motor and psychological functions of school children living in the area of the Skrunda Radio Location Station in Latvia**. The Science of the Total Environment 180:87-93.

- Korenstein R, Barbul A (2003): **Reply to the comment on "Exposure of human peripheral blood lymphocytes to electromagnetic fields associated with cellular phones leads to chromosomal instability"**. *Bioelectromagnetics* 24:583-585.
- Kramarenko AV, Tan U (2003): **Effects of high-frequency electromagnetic fields on human EEG: a brain-mapping study**. *Int J Neurosci* 113:1007-1019.
- Krause CM, Sillanmaki L, Koivisto M, Haggquist A, et al. (2000): **Effects of electromagnetic fields emitted by cellular phones on the EEG during a memory task**. *NeuroReport* 11:761-764.
- Krause CM, Sillanmaki L, Koivisto M, Haggquist A, et al. (2000): **Effects of electromagnetic fields emitted by cellular phones on the electroencephalogram during a visual working memory task**. *Intl J Rad Biol* 76:1659-1667.
- Krause CM, Haarala C, Sillanmaki L, Koivisto M, et al. (2004): **Effects of electromagnetic field emitted by cellular phones on the EEG during an auditory memory task: A double blind replication study**. *Bioelectromagnetics* 25:33-40.
- Krause CM, Bjornberg CH, Pesonen M, Hulten A, et al. (2006): **Mobile phone effects on children's event-related oscillatory EEG during an auditory memory task**. *Int J Radiat Biol* 82:443-450.
- Krause CM, Pesonen M, Bjornberg CH, Hamalainen H (2007): **Effects of pulsed and continuous wave 902 MHz mobile phone exposure on brain oscillatory activity during cognitive processing**. *Bioelectromagnetics* 28:296-308.
- Krewski D, Byus CV, Glickman BW, Lotz WG, et al. (2001): **Potential health risks of radiofrequency fields from wireless phones**. *J Toxicol Environ Health* 4:1-143.
- Krewski D, Glickman BW, Habash RW, Habbick B, et al. (2007): **Recent advances in research on radiofrequency fields and health: 2001-2003**. *J Toxicol Environ Health B Crit Rev* 10:287-318.
- Kriebel D, Tickner J (2001): **Re-energizing public health through precaution**. *AJPH* 91:1351-1355.
- Kues HA, Hirst LW, Luty GA, D'Anna SA, et al. (1985): **Effects of 2.45 GHz microwaves on primate corneal endothelium**. *Bioelectromagnetics* 6:177-188.
- Kues HA, Monahan JC. (1992): **Microwave-induced changes to the primate eye**. *Johns Hopkins APL Technical Digest* 13:244-255.
- Kues HA, Monahan JC, D'Anna SA, McLeod DS, et al. (1992): **Increased sensitivity of the non-human primate eye to microwave radiation following ophthalmic drug pretreatment**. *Bioelectromagnetics* 13:379-393.
- Kues HA, D'Anna SA, Oslander R, Green WR, et al. (1999): **Absence of ocular effects after either single or repeated exposure to 10 mW/cm² from a 60GHz CW source**. *Bioelectromagnetics* 20:463-473.
- Kumlin T, Iivonen H, Miettinen P, Juvonen A, et al. (2007): **Mobile phone radiation and the developing brain: behavioral and morphological effects in juvenile rats**. *Radiat Res* 168:471-479.
- Kundi M (2001): **Cellular telephones and brain tumors (letter)**. *N Engl J Med* 344:1331.
- Kundi M (2004): **Mobile phone use and cancer**. *Occup Environ Med* 61:560-570.
- Kundi M (2004): **Re: Cellular telephones and risk of acoustic neuroma (letter)**. *Am J Epidemiol* 160-923-4.

- Kundi M, Mild K, Hardell L, Mattson M-O (2004): **Mobile telephones and cancer - a review of epidemiological evidence.** *Journal of Toxicology and Environmental Health Part B* 7:351-384.
- Kuribayashi M, Wang J, Fujiwara O, Doi Y, et al. (2005): **Lack of effects of 1439 MHz electromagnetic near field exposure on the blood-brain barrier in immature and young rats.** *Bioelectromagnetics*, 26:578-588.
- Kuster N, Schuderer J, Christ A, Futter P, et al. (2004): **Guidance for exposure design of human studies addressing health risk evaluations of mobile phones.** *Bioelectromagnetics* 25:524-529.
- Kwee S, Raskmark P (1998): **Changes in cell proliferation due to environmental non-ionising radiation 2.** Microwave radiation. *Bioelectrochem Bioenerg* 44:251-255.
- Kwee S, Raskmark P, Velizarov S (2001): Changes in cellular proteins due to environmental non-ionizing radiation. I. Heat-shock proteins. *Electro- and Magnetobiology* 20:141-152.
- La Regina M, Moros EG, Pickard WF, Straube WL, et al. (2003): The effect of chronic exposure to 835.62 MHz FDMA or 847.74 MHz CDMA radiofrequency radiation on the incidence of spontaneous tumours in rats *Radiat Res* 160:143-151.
- Lagorio S, Rossi S, Vecchia P, De Santis M, et al. (1997): Mortality of plastic-ware workers exposed to radiofrequencies. *Bioelectromagnetics* 18:418-421.
- Lagroye, I, Hook GJ, Wettring BA, Baty JD, et al. (2004 a): Measurements of alkali-labile DNA damage and rotein-DNA crosslinks after 2450 MHz microwave and low-dose gamma irradiation in vitro. *Radiat Res* 161:201-214.
- Lagroye, Anane R, Wettring BA, Moros EG, et al. (2004 b): Measurements of DNA damage after acute exposure to pulsed-wave 2450 MHz microwaves in rat brain cells by two alkaline comet assay methods. *Int J Radiat Biol* 80:11-20.
- Lahkola A, Salminen T, Auvinen A (2005): Selection bias due to differential participation in a case-control study of mobile phone use and brain tumors. *Ann Epidemiol* 15:321-325.
- Lahkola A, Tokola K, Auvinen A (2006): Meta-analysis of mobile phone use and intracranial tumours. *Scand J Work Environ Health* 32:171-177.
- Lahkola A, Auvinen A, Raitanen J, Schoemaker MJ, et al. (2007): Mobile phone use and risk of glioma in 5 North European countries. *Int J Cancer* 120:1769-1775.
- Lai H, Carino MA, Horita A, Guy AW (1992): Single vs. repeated microwave exposure: Effects on benzodiazepine receptors in the brain of the rat. *Bioelectromagnetics* 13:57-66.
- Lai H, Carino MA, Horita A, Guy AW (1992): Opioid receptor subtypes that mediate a microwave-induced decrease in central cholinergic activity in the rat. *Bioelectromagnetics* 13:237-246.
- Lai H, Horita A, Guy AW (1994): Microwave irradiation affects radial-arm maze performance in the rat. *Bioelectromagnetics* 15:95-104.
- Lai H, Singh NP (1995): Acute low-intensity microwave exposure increases DNA single strand breaks in rat brain cells. *Bioelectromagnetics* 16:207-210.
- Lai H, Singh NP (1996): Single- and double-strand DNA breaks in rat brain cells after acute exposure to radiofrequency electromagnetic radiation. *Int J Radiat Biol* 69:513-521.

Lai H, Singh NP (1997): Melatonin and a spin-trap compound block radiofrequency electromagnetic radiation-induced DNA strand breaks in rat brain cells. *Bioelectromagnetics* 18:446-454.

Lai H. (2005): Response to Jauchem and Cassels. *Bioelectromagnetics* 26:528.

Lai H, Singh NP. Interaction of microwaves and a temporally incoherent magnetic field on single and double DNA strand breaks in rat brain cells. *Electromagnetic Biology and Medicine*. 2004;24:23-29.

Lantow M, Schuderer J, Hartwig C, Simko M (2006): Free radical release and HSP70 expression on two human immune-relevant cell lines after exposure to 1800 MHz radiofrequency radiation. *Radiat Res* 165:88-94

Lantow M, Viergutz T, Weiss DG, Simko M (2006a): Comparative study of cell cycle kinetics and induction of apoptosis after exposure of human Mono Mac 6 cells to radiofrequency radiation. *Radiat Res* 166:539-543.

Lantow M, Lupke M, Frahm J, Mattson MO, et al. (2006b): ROS release and Hsp70 expression after exposure to 1,800 MHz radiofrequency electromagnetic fields in primary human monocytes and lymphocytes. *Radiat Environ Biophys* 45:55-62.

Lass J, Tuulik V, Ferenets R, Riisalo R, et al. (2002): Effects of 7 Hz-modulated 450 MHz electromagnetic radiation on human performance in visual memory tasks. *Int J Radiat Biol* 78:937-944.

Laszlo A, Moros EG, Davidson T, Bradbury M, et al. (2005): The heat-shock factor is not activated in mammalian cells exposed to cellular phone frequency microwaves. *Radiat Res* 164:163-172.

Lebedeva NN, Sulimov AV, Sulimova OP, Korotkovskaya TI, et al. (2001): Investigation of brain potentials in sleeping humans exposed to the electromagnetic field of mobile phones. *Crit Rev Biomed Eng* 29:125-133.

Lee J-S, Huang J-J, Lee J-J, Pack J-K, et al. (2005): Subchronic exposure of hsp 70.1-deficient mice to radiofrequency radiation. *Int J Radiat Biol* 81:781- 792.

Lee J-S, Huang T-Q, Kim T-H, Kim JY, et al. Radiofrequency radiation does not induce stress response in human T-lymphocytes and rat primary astrocytes. *Bioelectromagnetics* 2006;27:578-588.

Lee S, Johnson D, Dunbar K, Dong H, et al. 2.45 GHz radiofrequency fields alter gene expression in cultured human cells (2005): *FEBS Letters* 579:4829-4836.

Lee TMC, Ho SMY, Tsang LYH, Yang SYC, et al. (2001): Effect on human attention of exposure to the electromagnetic field emitted by mobile phones. *NeuroReport* 12:729-731.

Lee TMC, Lam P-K, Lee LTS, Chan CCH (2003): The effect of the duration of exposure to the electromagnetic field emitted by mobile phones on human attention. *NeuroReport* 14:1361-1364.

Legler JM, Gloeckler Ries LA, Smith MA, Warren JL, et al. (1999): Brain and other central nervous system cancers: recent trends in incidence and mortality. *J Natl Cancer Inst* 91:1382-1390.

Leitgeb N, Schrottner J (2003): Electrosensitivity and electromagnetic hypersensitivity. *Bioelectromagnetics* 24:387-394.

Leszczynski D, Joenvaara S, Reivinen J, Kuokka R (2002): Non-thermal activation of the hsp27/p38MAPK stress pathway by mobile phone radiation in human endothelial cells: Molecular mechanism for cancer- and blood-brain barrier-related effects. *Differentiation* 70:120-129.

Leveque P, Dale C, Veyret B, Wiart J (2004): Dosimetric analysis of a 900 MHz rat head exposure system. *IEEE Transactions on Microwave Theory and Techniques* 52:2076-2083.

Levin M (2003): Bioelectromagnetics in morphogenesis. *Bioelectromagnetics* 24:295-315.

Li L, Bisht KS, LaGroye I, Zhang P, et al. (2001): Measurement of DNA damage in mammalian cells exposed in vitro to radiofrequency fields at SARs of 3-5 W/kg. *Radiat Res* 156:328-332.

Liakouris AGJ (1998): Radiofrequency (RF) sickness in the Lilienfeld study: an effect of modulated microwaves? *Arch Environ Health* 53:236-7.

Lilienfeld AM, Tonascia J, Libaur CA, Cauthen GM (1978): Foreign service health status study – evaluation of health status of foreign service and other employees from selected European posts. Final report. Washington, DC, US Department of State. 436 p (Contract No. 6025 –619073) NTIS PB-288163.

Lim HB, Cook GG, Barker AT, Coulton LA (2005): Effect of 900 MHz electromagnetic fields on nonthermal induction of heat-shock proteins in human leukocytes. *Radiat Res* 163:45-52.

Lin JC, Lin MF (1982): Microwave hyperthermia-induced blood-brain barrier alterations. *Radiat Res* 89:77-87.

Lin JC, Su J-L, Weng Y (1988): Microwave-induced thermoelastic pressure wave propagation in the cat brain. *Bioelectromagnetics* 9:141-147.

Lin JC (2002): Health and safety associated with personal wireless telecommunication base stations. *Radio Science Bulletin*. No 302 (Sept): 50-53.

Lin JC (2002): The auditory perception and hearing of microwaves. *Radio Science Bulletin*. No 303 (Dec): 50-53.

Lin JC (2003): Mobile-phone radiation effects on cancers in mice. *Radio Science Bulletin*. No 304 (March): 59-62.

Lin JC (2003): Children and the risk of mobile telecommunication. *Radio Science Bulletin*. No 305 (June): 46-49.

Lin JC (2003): Lens opacification and radio-frequency electromagnetic radiation. *Radio Science Bulletin*. No 305 (September): 51-54.

Lin JC (2004): Human Electroencephalograms (EEG) and mobile-phone radiation. *Radio Science Bulletin* 308:52-54.

Lin JC (2004): Studies on microwaves in medicine and biology: From snails to humans. *Bioelectromagnetics* 25:146-159.

Lin JC (2004): Current standards and their bases for safe human exposure to radio-frequency radiation. *Radio Science Bulletin* 309:50-52.

Lin JC (2005). Mobile phone use and benign tumors of the auditory nerve. *Radio Science Bulletin* 312:73-74.

Lin JC (2005). Hypersensitivity to mobile phones and subjective symptoms. *Radio Science Bulletin* 315:44-46.

Lin JC (2006). Mental process of children and mobile-phone electromagnetic fields. *Radio Science Bulletin* 316: 42-44 (March '06).

Lin JC (2006). The new IEEE standard for human exposure to radio-frequency radiation and the current ICNIRP guidelines. *Radio Science Bulletin* 317: 61-63 (June '06).

Lin JC (2007): Current bioelectromagnetics research activities in Europe. *Radio Science Bulletin* 319:67-68.

Lin JC (2007): Mobile phone use and malignant central nervous system tumours. *Radio Science Bulletin* 320:48-49.

Lin JC (2007): Mobiletelecommunication health-effect research outcomes and sources of funding. *Radio Science Bulletin* 321:54-55.

Linnet MS, Taggart T, Severson RK, Cerham JR, et al. (2006): Cellular telephones and non-Hodgkin lymphoma. *Int J Cancer* 119:2382-2388.

Linz KW, von Westphalen C, Streckert J, Hansen V, et al. (1999): Membrane potential and currents of isolated heart muscle cells exposed to pulsed radio frequency fields. *Bioelectromagnetics* 20:497-511.

Litovitz TA, Krause D, Penafiel M et al. (1993): The role of coherence time in the effect of microwaves on ornithine decarboxylase activity. *Bioelectromagnetics* 14:395-403.

Lonn S, Forssen U, Vecchia P, Ahlbom A, et al. (2004): Output power levels from mobile phones in different geographical areas; implications for exposure assessment. *Occup Environ Med* 61:769-772.

Lonn S, Klaeboe L, Hall P, Mathiesen T, et al. (2004): Incidence trends of adult primary intracerebral tumours in four Nordic countries. *Int J Cancer* 108:450-5.

Lonn S, Ahlbom A, Hall P, Feychting M (2004): Mobile phone use and the risk of acoustic neuroma. *Epidemiology* 15:653-659.

Lonn S, Ahlbom A, Hall P, Feychting M (2005): Reply to correspondence on " Mobile phone use and the risk of acoustic neuroma. *Epidemiology* 2004;15:653-659" in *Epidemiology* 16:417-8.

Lonn S, Ahlbom A, Hall P, Feychting M, et al. (2005): Long-term mobile phone use and brain tumour risk. *Amer J Epidemiol* 161:526-535.

Lonn S, Ahlbom A, Christensen HC, Johansen C, et al. Mobile phone use and risk of parotid gland tumor. *Am J Epidemiol*:2006;164:637-643.

Loughran SP, Wood AW, Barton JM, Croft RJ, et al. (2005): The effect of electromagnetic fields emitted by mobile phones. *Neuroreport* 16:1973-1976.

Lu S-T, Mathur SP, Stuck B, Zwick H, et al. (2000): Effects of high peak power microwaves on the retina of the Rhesus monkey. *Bioelectromagnetics* 21:439-454.

Luben RA (1996): Effects of microwave radiation on signal transduction processes of cells in vitro. In: Bernhardt JH, Matthes R, Repacholi MH (eds). *Non-thermal effects of RF electromagnetic fields. Proceedings of the International Seminar of the Biological effects of non-thermal pulse and amplitude modulated RF electromagnetic fields and related health hazards. Munich-Neuherberg, 20-22 November 1996*, pp. 101-118.

Lyle DB, Schechter P, Adey WR, Lundak RL (1983): Suppression of T-lymphocyte cytotoxicity following exposure to sinusoidally amplitude-modulated fields. *Bioelectromagnetics* 4:281-92.

- Maby E, Bouquin Jeanes R le, Faucon G, Liegeois-Chauvel C, et al. (2005): Effects of GSM signals on auditory evoked responses. *Bioelectromagnetics* 26:341-350.
- Maby E, Le Bouquin Jeanes R, Faucon G (2006): Scalp localization of human auditory cortical activity modified by GSM electromagnetic fields. *Int J Radiat Biol* 82:465-472.
- Maes A, Collier M, et al. (1995): Cytogenetic effects of microwaves from mobile communication frequencies (954 MHz). *Electro- and Magnetobiology* 14:91-8.
- Maes A, Collier M, et al. (1996): 954 MHz microwaves enhance the mutagenic properties of mitomycin C. *Environ Molec Mutagen* 28:26-30.
- Maes A, Collier M, Verschaeve L. (2000): Cytogenetic investigations on microwaves emitted by a 455.7 MHz car phone. *Folia Biologica (Praha)* 46:175-180.
- Maes A, Collier M, Verschaeve L (2001): Cytogenetic effects of 900 MHz (GSM) microwaves on human lymphocytes. *Bioelectromagnetics* 22:91-96.
- Maier M, Blakemore C, Koivisto M (2000): The health hazards of mobile phones. *BMJ* 320:1288-1289.
- Magras IN, Xenos TD (1997): RF radiation-induced changes in the prenatal development of mice. *Bioelectromagnetics* 18:455-461.
- Maier M (2006): Brains and mobile phones. *BMJ* 332:864-865.
- Malyapa RS, Ahern EW, et al. (1997): Measurement of DNA damage after exposure to 2450 MHz electromagnetic radiation. *Radiation Research* 148:608-617.
- Malyapa RS, Ahern EW, et al. (1997): Measurement of DNA damage after exposure to electromagnetic radiation in the cellular communications frequency band (835.62 and 847.74 MHz). *Radiation Research* 148:618-627.
- Malyapa RS, Ahern EW, et al. (1998): DNA damage in rat brain cells after in vivo exposure to 2450 MHz electromagnetic radiation and various methods of euthanasia. *Radiation Research* 149:637-645.
- Mann K, Röschke J (1996): Effects of pulsed high-frequency electromagnetic fields on human sleep. *Neuropsychobiology* 33:41-47.
- Mann K, Wagner P, et al. (1998): Effects of pulsed high-frequency electromagnetic fields on the neuroendocrine system. *Neuroendocrinology* 67:139-44.
- Mann K, Roschke J, Connemann B, Beta H (1998): No effects of pulsed high-frequency electromagnetic fields on heart rate variability during human sleep. *Neuropsychobiology* 38:251-6.
- Mantiply ED, Pohl KR, Poppell SW, Murphy JA (1997): Summary of measured radiofrequency electric and magnetic fields (10 kHz to 30 GHz) in the general and work environment. *Bioelectromagnetics* 18:563-577.
- Marino C, Cristalli G, Galloni P, Pasqualetti P, et al. (2000): Effects of microwaves (900 MHz) on the cochlear receptor: exposure systems and preliminary results. *Radiat Environ Biophys* 39:131-136.
- Marino C (2006): Report on studies on hypersensitivity. EMF-NET, Project no. SSPE-CT-2004- 502173.
- Markkanen A, Penttinen P, Naarala J, Pelkonen J, et al. (2004): Apoptosis induced by ultraviolet radiation is enhanced by amplitude modulated radiofrequency radiation in mutant yeast cells. *Bioelectromagnetics* 25:127-133

- Martinez-Burdalo M, Martin A, Anguiano M, Villar R (2004): Comparison of FDTD-calculated specific absorption rate in adults and children when using a mobile phone at 900 MHz and 1800 MHz. *Phys Med Biol* 49:345-354.
- Martinez-Burdalo M, Martin A, Anguiano M, Villar R (2005): On the safety assessment of human exposure in the proximity of cellular communications base-station antennas at 900, 1800 and 2170 MHz. *Phys Med Biol* 50:4125-4137.
- Mashevich M, Folkman D, Kesar A, Barbul A, et al. (2003): Exposure of human peripheral blood lymphocytes to electromagnetic fields associated with cellular phones leads to chromosomal instability. *Bioelectromagnetics* 24:82-90.
- Maskarinec G, Cooper J, Swygert L (1994): Investigation of increased incidence in childhood leukaemia near radio towers in Hawaii: Preliminary observations. *J Environ Pathol Toxicol Oncol* 13:33-7.
- Masley ML, Habbick BF, Spitzer WO, Stuchly MA (1999): Are wireless phones safe? A review of the issue. *Can J Public Health* 90:325-9.
- Masuda H, Sanchez S, Dulou PE, Haro E, et al. (2006): Effect of GSM-900 and -1800 signals on the skin of hairless rats: 1: 2-hour acute exposures. *Int J Radiat Biol* 82:669-674.
- Matthes R, Bernhardt JH, Repacholi MH (eds.) (1996): Non-thermal effects of RF electromagnetic fields. Proceedings of the International Symposium of Biological Effects of Non-Thermal Pulse and Amplitude Modulated RF Electromagnetic Fields and Related Health Hazards. Munich, Germany, 20-22 November, 1996.
- Mausset A-M, de Seze R, Montpeyroux F, Privat A (2001): Effects of radiofrequency exposure on the GABAergic system in the rat cerebellum: clues from semi-quantitative immunohistochemistry. *Brain Research* 912:33-46.
- Mausset-Bonnefont AL, Hirbec H, Bonnefont X, Privat A, et al. (2004): Acute exposure to GSM-900 MHz electromagnetic fields induces glial reactivity and biochemical modifications in the rat brain. *Neurobiol Dis* 17:445-454.
- Mayo MS, Gajewski BJ, Morris JS (2006): Some statistical issues in microarray gene expression data. *Radiat Res* 165:745-748.
- Mazor R, Korenstein-Ilan A, Barbul A, Eshet Y, Shahadi A, Jerby E, Korenstein R. (2008): Increased Levels of Numerical Chromosome Aberrations after *In Vitro* Exposure of Human Peripheral Blood Lymphocytes to Radiofrequency Electromagnetic Fields for 72 Hours. *Radiat Res* 169:28-37.
- McKenzie DR, Yin Y, Morrell S (1998): Childhood incidence of acute lymphoblastic leukaemia and exposure to broadcast radiation in Sydney—a second look. *Aust N Z J Public Health* 22:360-7.
- McKinlay AF (1997): Possible health effects related to the use of radiotelephones. Proposals for a research program by European Commission Expert Group (ECE). *Radiological Protection Bulletin* 1997; No. 187:9-16.
- McKinney P(2005): Central nervous system tumours in children: Review of the epidemiologic evidence. *Bioelectromagnetics* 26, Issue S7:60-68.
- McNamee JP, Bellier PV, Gajda GB, Miller SM, et al. (2002a): DNA damage and micronucleus induction in human leukocytes after acute *in vitro* exposure to a 1.9 GHz continuous-wave radiofrequency field. *Radiation Research* 158:523-533.

- McNamee JP, Bellier PV, Gajda GB, Lavallée BF, et al. (2002b): DNA damage in human leukocytes after acute *in vitro* exposure to a 1.9 GHz pulse-modulated radiofrequency field. *Radiat Res* 158:534-537.
- McNamee JP, Bellier PV, Gajda GB, Lavallée BF, et al. (2003): No evidence for genotoxic effects from 24 hr exposure of human leukocytes to 1.9 GHz radiofrequency fields. *Radiat Res* 159:693-697.
- McWhirter WR, Dobson C (1998): Brain tumours and mobile phones (letter). *Med J Aust* 168:309.
- Meltz ML, Walker KA, Erwin DN (1987): Radiofrequency (microwave) radiation exposure of mammalian cells during UV-induced DNA repair synthesis. *Radiat Res* 110:255-66.
- Meltz M (2003): Radiofrequency exposure and mammalian cell toxicity, genotoxicity, and transformation. *Bioelectromagnetics Supplement* 6:S196-213.
- Meral I, Mert H, Mert N, Deger Y, et al. (2007): Effects of 900 MHz electromagnetic field emitted from cellular phone on brain oxidative stress and some vitamin levels. *Brain Res*
doi:10.1016/j.brainres.2007.07.015
- Merola P, Marino C, Lovisolo GA, Pinto R, et al. (2006): Proliferation and apoptosis in a neuroblastoma cell line exposed to 900 MHz modulated radiofrequency field. *Bioelectromagnetics* 27:164-171.
- Michelozzi P, Capon A, Kirchmayer U, Forastiere F, et al. (2002): Adult and childhood leukemia near a high-power radio station in Rome, Italy. *Amer J Epidemiol* 155:1096-1103.
- Milburn M, Oelbermann M. (1994): *Electromagnetic Fields and your Health*. Vancouver: New Star Books.
- Mild KH, Oftedal G, et al. (1998): Comparison of analogue and digital mobile phone users and symptoms: A Swedish-Norwegian epidemiological study. National Institute for Working Life: Umeå, Sweden, <http://www.niwl.se/fakta/summery.pdf>
- Mild K H, Hardell L, Kundi M, Mattsson MO (2003): Mobile telephones and cancer: Is there really no evidence of an association? *Int J Mol Med* 12:67-72.
- Mild KH, Carlberg M, Wilen J, Hardell L (2005): How to combine the use of different mobile and cordless telephones in epidemiological studies on brain tumours? *Eur J Cancer Prev* 14:285-288.
- Mild KH, Hardell L, Carlberg M (2007): Pooled analysis of two Swedish case-control studies on the use of mobile and cordless telephones and the risk of brain tumours diagnosed during 1997-2003. *Int J Occup Saf Ergon* 13:63-71.
- Milham S (1988): Increased mortality in amateur radio operators due to lymphatic and haematopoietic malignancies. *Am J Epidemiol* 127:50-4.
- Milham S. Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries (letter). *Brit J Cancer* 2006, 94:1351.
- Milham S. (2006): Mobile phone use and risk of glioma in adults: case-control study. *BMJ* 21 January (letter).
- Miyakoshi J, Takemasa K, Takashima Y, Ding G-R, et al. (2005): Effects of exposure to 1950 MHz radio frequency field on expression of Hsp70 and Hsp27 in human glioma cells. *Bioelectromagnetics* 26:251-257.
- Mjøen G, Sætre DO, Lie RT, Tynes T, et al. (2006): Paternal occupational exposure to radiofrequency electromagnetic fields and risk of adverse pregnancy outcome. *Eur J Epidemiol* 21:529-535.

Mobydeen L (2001-2002): Reach out and touch someone: cellular phones health, safety and reasonable regulation. *J Law Health* 16:373-399.

Mora R, Crippa B, Mora F, Dellepiane M. A study of the effects of cellular telephone microwave radiation on the auditory system in healthy men. *Ear Nose Throat J* 2006;85:162-3.

Morgan RW, Kelsh MA, Zhao K, et al. (2000): Radiofrequency exposure and mortality from cancer of the brain and lymphatic/hematopoietic systems. *Epidemiology* 11:118-127.

Moriyama E, Saleman M, Broadwell RD (1991): Blood-brain barrier alteration after microwave-induced hyperthermia is purely a thermal effect: I. Temperature and power measurements. *Surg Neurol* 35:177-182.

Morrissey JJ, Raney S, Heasley E, Rathinavelu P, et al. (1999): IRIDIUM exposure increases c-fos expression in the mouse brain only at levels which likely result in tissue heating. *Neuroscience* 92:1539-1546.

Morrissey J (2006): Radio frequency exposure in mobile phone users: Implications for exposure assessment in epidemiological studies. *Rad Prot Dosim* 2007;123:490-7.

Mortazavi SMJ, Ahmadi J, Shariati M (2007): Prevalence of subjective poor health symptoms associated with exposure to electromagnetic fields among university students. *Bioelectromagnetics* 28:326-330.

Moulder JE, Erdreich LS, Malyapa RS, et al. (1999): Cell phones and cancer: What is the evidence for a connection? *Radiat Res* 151:513-31.

Moulder JE, Rockwell S (2003): Critiquing unpublished theories. *Radiat Res* 159:1-2.

Moulder JE, Foster KR, Erdreich LS, McNamee JP. Mobile phones, mobile phone base stations and cancer: a review. *Int J Radiat Biol* 2005;81:189-203.

Moustafa YM, Moustafa RM, Belacy A, Abou-EL-Ela SH, Ali FM (2001): Effects of acute exposure to the radiofrequency fields of cellular phones on plasme lipid peroxide and antioxidase activities in human erythrocytes. *J Pharm Biomed Anal* 26:605-8.

Muhm JM (1992): Mortality investigation of workers in an electromagnetic pulse test program. *J Occup Med* 34:287-292.

Munoz S, Sebastien JL, Sancho M, Miranda JM (2004): Transmembrane voltage on altered erythrocyte shapes exposed to RF fields. *Bioelectromagnetics* 25:631-633

Muscat JE, Malkin MG, Thompson S, Shore RE, et al. (2000): Handheld cellular telephone use and risk of brain cancer. *JAMA* 284:3001-3007.

Muscat JE, Stellman SD, Malkin MG, Thompson S, et al. (2001): Handheld cellular telephones and brain cancer risk (letter). *JAMA* 285:1838-1839

Muscat JE, Malkin MG, Shore RE, Thompson S, et al. (2002): Handheld cellular telephone use and risk of acoustic neuroma. *Neurology* 58:1304-1306.

Nam KC, Kim SW, Kim SC, Kim DW (2006): Effects of RF exposure of teenagers and adults by CDMA cellular phones. *Bioelectromagnetics* 27:509-514.

Nasta F, Prisco MG, Pinto R, Lovisollo GA, et al. (2006): Effects of GSM-modulated radiofrequency fields on B-cell peripheral differentiation and antibody production. *Radiat Res* 165:664-670.

National Radiological Protection Board (NRPB) (1992): Electromagnetic fields and the risk of cancer: Report of an Advisory Group on Non-ionizing Radiation. United Kingdom: NRPB Doc. NRPB 3; No. 1: 1-138.

National Radiological Protection Board (NRPB) (1993): Restrictions on human exposure to static and time varying electromagnetic fields and radiation. United Kingdom: Doc. NRPB 4; No. 5:7-63.

National Radiological Protection Board (NRPB) (1998): NRPB response statement-Mobile phones and memory loss. United Kingdom: NRPB, July 16, 1998.

National Radiological Protection Board (NRPB) (2000): Exposure to radio waves near mobile phone base stations. Mann SM, et al. NRPB-R321, June 2000.

Navarro EA, Segura J, Portoles M, de Mateo CG-P (2003): The microwave syndrome: A preliminary study in Spain. *Electromagnetic Biology and Medicine* 22:161-169.

Nelson PD, Toledano MB, McConville J, Quinn MJ, et al. (2006): Trends in acoustic neuroma and cellular phones: Is there a link? *Neurology* 66:284.

Neubauer G, Feychting M, Hamnerius Y, Kheifets L, et al. (2007): Feasibility of future epidemiological studies on possible health effects of mobile phone base stations. *Bioelectromagnetics* 28:224-230.

Nikoloski N, Frohlich J, Samaras T, Schuderer J, et al. (2005): Reevaluation and improved design of the TEM cell in vitro exposure unit for replication studies. *Bioelectromagnetics* 26:215-224.

Nylund R, Leszczynski D (2004): Proteomics analysis of human endothelial cell line EA.hy926 after exposure to GSM 900 radiation. *Proteomics* 4:1359-1365.

Oberto G, Rolfo K, Yu P, Carbonatto M, et al. (2007): Carcinogenicity study of 217 Hz pulsed 900 MHz electromagnetic fields in Pim1 transgenic mice. *Radiat Res* 168:316-326.

O'Connor ME (1999): Intrauterine effects in animals exposed to radiofrequency and microwave fields. *Teratology* 59:287-291.

Oftedal G, Wilen J, Sandstrom M, Mild KH (2000): Symptoms experienced in connection with mobile phone use. *Occup Med* 50:237-245.

Oktay MF, Dasdag S (2006): Effects of intensive and moderate cellular telephone use on hearing function. *Electromagnetic Biology and Medicine* 25:13-21.

Oliver JP, Chou CK, Balzano Q (2003): Testing the effectiveness of small radiation shields for mobile phones. *Bioelectromagnetics* 24:66-69.

Omura Y, Losco M (1993): Electro-magnetic fields in the home environment as potential contributing causes for the induction of oncogen c-fos Ab1, oncogen C-fos Ab2, integrin alpha 5 beta1 and development of cancer, as well as effects of microwave on amino acid composition of food and living human brain. *Acupunct Electrother Res* 18:33-73.

Oscar KJ, Dawkins TD (1977): Microwave alteration of the blood-brain barrier system of rats. *Brain Research* 126:281-293.

Otto M, Ernst von Mühlendahl K. (2007): Electromagnetic fields (EMF): Do they play a role in children's environmental health (CEH)? *Int J Hyg Environ Health* 10:635-644.

Owen RD (2000): Possible health risks of radiofrequency exposure from mobile telephones. *Epidemiology* 11:99-100.

Oysu C, Topak M, Celik O, Yilmaz HB, et al. (2005): Effects of the acute exposure to the electromagnetic field of mobile phones on human auditory brainstem responses. *Eur Arch Otorhinolaryngol* Feb 25 (Epub ahead of print).

Ozguner F, Oktem F, Ayata A, Koyu A, et al. (2005): A novel antioxidant agent caffeic acid phenetyl ester prevents long-term mobile phone exposure-induced renal impairment in the rat. *Mol Cell Biochem* 277:73-80.

Ozturan O, Erdem T, Miman MC, Kalcioglu MT, et al. (2002): Effects of the electromagnetic field of mobile telephones on hearing. *Acta Otolaryngol* 122:289-293.

Pacini S, Ruggiero M, Sardi I, Aterini S, et al. (2002): Exposure to global system for mobile communication (GSM) cellular phone radiofrequency alters gene expression, proliferation, and morphology of human skin fibroblasts. *Oncol Res* 13:19-24.

Pakhomov AG, Gajsek P, Allen L, Stuck BE, Murphy MR (2002): Comparison of dose-dependencies for bioeffects of continuous-wave and high-peak power microwave emissions using gel-suspended cell cultures. *Bioelectromagnetics* 23:158-167.

Panagopoulos DJ, Karabarounis A, Margaritis LH (2004): Effect of GSM 900-MHz mobile phone radiation on the reproductive capacity of *Drosophila melanogaster*. *Electromagnetic Biology and Medicine* 23:29-43.

Panagopoulos DJ, Chavdoula ED, Karabarounis A, Margaritis LH (2007): Comparison of bioactivity between GSM 900 MHz and DCS 1800 MHz Mobile Telephony Radiation. *Electromagnetic Biology and Medicine* 26:33-44.

Papageorgiou CC, Nanou ED, Tsiafakis VG, Capsalis CN, et al. (2004): Gender related differences on the EEG during a simulated mobile phone signal. *Neuroreport* 15:2557-2560.

Papageorgiou CC, Nanou ED, Tsiafakis VG, Kapareliotis E, et al. (2006): Acute mobile phone effects on pre-attentive operation. *Neuroscience Letters* 397:99-103.

Parazzini M, Bell S, Thuroczy G, Molnar F, et al. (2005): Influence on the mechanisms of generation of distortion product otoacoustic emissions of mobile phone exposure. *Hear Res* 208:68-78.

Parazzini M, Parazzini P, Tognola G, Thuroczy G, et al. (2007): Electromagnetic fields produced by GSM cellular phones and heart rate variability. *Bioelectromagnetics* 28:122-129.

Parazzini M, Galloni P, Piscitelli M, Pinto R et al. (2007): Possible combined effects of 900 MHz continuous-wave electromagnetic fields and gentamicin on the auditory system of rats. *Radiat Res* 167:600-605.

Parazzini M, Brazzale AR, Paglialonga P, Tognola G, et al. (2007): Effects of GSM cellular phones on human hearing: The European project "GUARD". *Radiat Res* 168:608-613.

Paredi P, Kharitonov SA, Hanazawa T, Barnes PJ (2001): Local vasodilator response to mobile phones. *Laryngoscope* 111:159-162.

Park RL (2001): Cellular telephones and cancer: how should science respond? *J Natl Cancer Inst* 93:166-167.

Parslow RC, Hepworth SJ, McKinney PA (2003): Recall of past use of mobile phone handsets. *Radiat Prot Dosim* 106:233-240.

Pasche B, Erman M, Hayduk R, Mitler MM, et al (1996): Effects of low energy emission therapy in chronic psychophysiological insomnia. *Sleep* 19:327-336.

Pau HW, Sievert U, Eggert S, Wild W (2005): Can electromagnetic fields emitted by mobile phones stimulate the vestibular organ? *Otolaryngol Head Neck Surg* 132:43-9.

Paulraj R, Behari J (2002): The effect of low-level continuous 2.45 GHz waves on enzymes of developing rat brain. *Electromagnetic Biology and Medicine* 21:221-231.

Penafiel LM, Litovitz T, et al. (1997): Role of modulation on the effect of microwaves on ornithine decarboxylase activity in L929 cells. *Bioelectromagnetics* 18:132-141.

Petersen R (2004): Reply to "A biological guide for electromagnetic safety: the stress response" by M Blank and R Goodman: *Bioelectromagnetics* 25:647-648.

Petrides M (2000): Exposure to electromagnetic fields by using cellular telephones and its influence on the brain. *NeuroReport* 11:3321-3325.

Petrides M. (2001): Use of cellular telephones and performance on tests of attention. *NeuroReport* 12:A21.

Phillips JL, Ivaschuk OI, et al. (1998): DNA damage in Molt-4 T-lymphoblastoid cells exposed to cellular telephone radiofrequency fields in vitro. *Bioelectrochem Bioenerg* 45:103-110.

Phillips AM (2006): Mobile phone use and risk of glioma in adults: case-control study. *BMJ* 23 January (letter).

Pickard WF, Moros EG (2001): Energy deposition processes in biological tissue: Nonthermal biohazards seem unlikely in the ultra-high frequency range. *Bioelectromagnetics* 22:97-105.

Platano D, Mesirca P, Paffi A, Pellegrino M, et al. (2007): Acute exposure to low-level CW and GSM-modulated 900 MHz radiofrequency does not affect BA^{2+} currents through voltage-gated calcium channels in rat cortical neurons. *Bioelectromagnetics* 28:599-607.

Polk C, Postow E (eds.) (1996): *Handbook of biological effects of electromagnetic fields*. 2nd ed. Boca Raton FL: CRC Press.

Preece AW, Iwi G, Davies-Smith A, Wesnes K, et al. (1999): Effect of a 915-MHz simulated mobile phone signal on cognitive function in man. *Int J Radiat Biol* 75:447-456.

Preece AW (2000): Mobile phones and human heads. *Neuroreport* 11:i.

Preece AW, Goodfellow S, Wright MG, Butler SR, et al. (2005): Effect of 902 MHz mobile phone transmission on cognitive function in children. *Bioelectromagnetics* 26, issue S7:S138-143.

Preece AW, Georgiou AG, Dunn EJ, Farrow SC (2007): Health response to two communities to military antennae in Cyprus. *Occup Environ Med* published online 25 Jan 2007; doi:10.1136/oem.2006.028894.

Preskorn SH, Edwards WD, Justesen DR (1978): Retarded tumor growth and greater longevity in mice after fetal irradiation by 2450-MHz microwaves. *J Surg Oncol* 10:483-492.


Pyrpasopoulou A, Kotoula V, Cheva A, Hytiroglou P, et al. (2004): Bone morphogenetic protein expression in newborn rat kidneys after prenatal exposure to radiofrequency radiation. *Bioelectromagnetics* 216-227.

Quock RM, Fujimoto JM, Ishii TK, Lange DG (1986): Microwave facilitation of methylatropine antagonism of central cholinomimetic drug effects. *Radiat Res* 105:328-340.

Qutob SS, Chauhan V, Yauk CL, Douglas GR, et al. (2006): Microarray gene expression profiling of a human glioblastoma cell line exposed in vitro to a 1.9 GHz pulse-modulated radiofrequency field. *Radiat Res* 165:636-644.

Radon K, Parera D, Rose D-M, Jung D, et al. (2001): No effects of pulsed radio frequency electromagnetic fields on melatonin, cortisol, and selected markers of the immune system in man. *Bioelectromagnetics* 22:280-287.

Radon K, Spegel H, Meyer N, Klein J, et al. (2006): Personal dosimetry of exposure to mobile telephone base stations? An epidemiologic feasibility study comparing the Maschek dosimeter prototype and the Antennessa DSP-090 system. *Bioelectromagnetics* 27:77-81.



Ramundo-Orlando A, Liberti M, Mossa G, d'Inzeo G (2004): Effects of 2.45 GHz microwave fields on liposomes entrapping glycoenzyme ascorbate oxidase: Evidence for oligosaccharide side chain involvement. *Bioelectromagnetics* 25:338-345.

Redelmeier DA, Tibshirani RJ (1997): Association between cellular-telephone calls and motor vehicle collisions. *New Engl J Med* 336:453-8.

Redelmeier DA, Tibshirani RJ (2001): Car phones and car crashes: some popular misconceptions. *CMAJ* 164:1581-1582.

Regel SJ, Negovetic S, Roosli M, Berdinas V, et al. UMTS base station-like exposure, well-being, and cognitive performance. *Environ Health Perspect* 2006;114:1270-1275.

Regel S, Gottselig, J, Schuderr, J, Tinguely, G, et al. (2007): Pulsed radio frequency radiation affects cognitive performance and the waking electroencephalogram. *Neuroreport* 18:803-807.

Reiser H, Dimpfel W, Schober F (1995): The influence of electromagnetic fields on human brain activity. *Eur J Med Res* 16:27-32.

Reite M, Higgs L, Lebet J-P, Barbault A, et al (1994): Sleep inducing effect of low energy emission therapy. *Bioelectromagnetics* 15:67-75.

Repacholi MH, Basten A, et al. (1997): Lymphomas in E α -Pim1 transgenic mice exposed to pulsed 900 MHz electromagnetic fields. *Radiat Res* 147:631-640.

Repacholi MH (1997): Radiofrequency field exposure and cancer: What do the laboratory studies suggest? *Envir Health Perspect* 105 (Suppl 6):1565-8.

Repacholi MH (1998): Low-level exposure to radiofrequency electromagnetic fields: Health effects and research needs. *Bioelectromagnetics* 19:1-19.

Repacholi MH (2001): Health risks from the use of mobile phones. *Toxicology Letters* 120:323-331.

Repacholi M, Saunders R, van Deventer E, Kheifets L. (2005): Guest editors' introduction: Is EMF a potential environmental risk for children? *Bioelectromagnetics* 26, Issue S7:S2-4.

Robert E (1999): Intrauterine effects of electromagnetic fields - (low frequency, mid-frequency RF, and microwave): Review of epidemiologic studies. *Teratology* 59:292-298.

Roberts NJ, Michaelson SM (1985): Epidemiological studies of human exposures to radiofrequency radiation. *Int Arch Occup Environ Health* 56:169-78.

Robinette CD, Siverman C, Jablon S (1980): Effects upon health of occupational exposure to microwave radiation (radar). *Am J Epidemiol* 112:39-53.

Roosli M, Michel G, Kuehni CE, Spoerri A (2007): Cellular telephone use and time trends in brain tumour mortality in Switzerland from 1969 to 2002. *Eur J Cancer Prev* 16:77-82.

Röschke J, Mann K (1997): No short term effects of digital mobile radio telephone on the awake human electroencephalogram. *Bioelectromagnetics* 18:172-6.

Rothman KJ, Chou CK, et al. (1996): Assessment of cellular telephone and other radio frequency exposure for epidemiological research. *Epidemiology* 7:291-8.

Rothman KJ, Loughlin JE, Funch DP, Dreyer NA (1996): Overall mortality of cellular telephone customers. *Epidemiology* 7:303-5.

Rothman KJ (2000): Epidemiological evidence on health risks of cellular telephones. *Lancet* 356:1837-1840.

Rothman KJ (2001): Cellular telephones and risk of brain tumours (letter). *Lancet* 357:960-1.

Roti Roti JL, Malyapa RS, Bisht KS, Ahern EW, et al. (2001): Neoplastic transformation in C3H 10T1/2 cells after exposure to 835.62 MHz FDMA and 847.74 MHz CDMA radiations. *Radiat Res* 155:239-247.

Roy CR, Martin LJ (2007): A comparison of important international and national standards for limiting exposure to EMF including the scientific rationale. *Health Phys* 92:635-641.

Royal Society of Canada (1999): A review of the potential health risks of radiofrequency fields from wireless telecommunication devices. Expert Panel Report, Ottawa, Canada.

Rubin GJ, Das Munshi J, Wessely S (2005): Electromagnetic hypersensitivity: a systematic review of provocation studies. *Psychosom Med* 67:224-232.

Rubin GJ, Hahn G, Everitt BS, Cleare AJ, et al. (2006): Are some participants sensitive to mobile phone signals? Within participants double blind randomised provocation study. *BMJ* 332:886-889.

- Russell P (1998): Brain tumours and mobile phones (letter). *Med J Aust* 168:309.
- Russo R, Fox E, Cinel C, Boldini A, et al. (2006): Does acute exposure to mobile phones affect human attention? *Bioelectromagnetics* 27:215-220.
- Salford LG, Brun A, Eberhardt JL, Persson BR (1993): Permeability of the blood-brain barrier induced by 915 MHz electromagnetic radiation, continuous wave and modulated at 8, 16, 50 and 200 Hz. *Bioelectrochem Bioenerg* 30:293-301.
- Salford LG, Brun A, Sturesson K, Eberhardt JL, et al. (1994): Permeability of the blood-brain barrier induced by 915 MHz electromagnetic radiation, continuous wave and modulated at 8, 16, 50, and 200 Hz. *Micros Res Tech* 27:535-542.
- Salford LG, Brun A, Persson BR, Eberhardt JL (1993): Experimental studies of brain tumour development during exposure to continuous and pulsed 915 MHz radiofrequency radiation. *Bioelectrochem Bioenerg* 30:313-8.
- Salford LG, Brun AE, Eberhardt JL, Malmgren L, et al. (2003): Nerve cell damage in mammalian brain after exposure to microwaves from GSM mobile phones. *Environ Health Perspect* 111:881-883. Online January 29, 2003 (www.ehponline.org)
- Salvatore JR (1996): Low-frequency magnetic fields and cancer. What you should know and what you should tell your patients. *Postgraduate Medicine* 100:183-190.
- Samkange-Zeeb F, Berg G, Blettner M (2004): Validation of self-reported cellular phone use. *J Expo Anal Environ Epidemiol* 14:245-248.
- Samuels D, Wise K (1998): Brain tumours and mobile phones (letter). *Med J Aust* 168:309.
- Sanchez S, Masuda H, Billaudel B, Haro E, et al. Effect of GSM-900 and -1800 signals on the skin of hairless rats: 11: 12-week chronic exposures. *Int J Radiat Biol* 2006;82:675-680
- Sanchez S, Haro E, Ruffie G, Veyret B et al. (2007a): In vitro study of the stress response of human skin cells to GSM-1800 mobile phone signals compared to UVB radiation and heat shock. *Radiat Res* 167:572-580.
- Sanchez S, Masuda H, Ruffie G, Poullietier De Gannes F, et al. (2007b): Effect of GSM-900 and -1800 signals on the skin of hairless rats. III: Expression of heat shock proteins. *Int J Radiat Biol* 84:61-68.
- Santini R, Hosni M, Deschaux P, Pacheco H (1988): B16 melanoma development in black mice exposed to low-level microwave radiation. *Bioelectromagnetics* 9:105-107.
- Sanchez S, Masuda H, Ruffié G, Poullietier De Gannes F, Billaudel B, Haro E, Lévêque P, Lagroye I, Veyret B. (2008): Effect of GSM-900 and -1800 signals on the skin of hairless rats. III: Expression of heat shock proteins *Int Journal Radiat Biol* 84(1):.61-68.
- Santini R, Seigne M, Bonhomme-Faivre L (2002): Danger des téléphones cellulaires et de leurs stations relais. *Pathol Biol* 48:525-8.
- Santini R, Santini P, le Ruz P, Danze JM, et al. (2003): Survey study of people living in the vicinity of cellular phone base stations. *Electromagnetic Biology and Medicine* 22:41-49.
- Saran A, Pazzaglia S, Mancuso M, Rebessi S, Di Majo V, Tanori M, Lovisolo GA, Pinto R, Marino C. (2007): Effects of Exposure of Newborn *Patched1* Heterozygous Mice to GSM, 900 MHz. *Radiat Res* 168;733-740.

Sarkar S, Ali S, Behari J (1994): Effect of low power microwave on the mouse genome: A direct DNA analysis. *Mutation Research* 320:141-7.

Saunders RD, Cridland NA, Kowalczyk CI and Sienkiewicz ZJ (1996): In vivo biological studies relevant to low level RF health effects. In: Bernhardt JH, Matthes R, Repacholi MH (eds). *Non-thermal effects of RF electromagnetic fields. Proceedings of the International Seminar of the Biological effects of non-thermal pulse and amplitude modulated RF electromagnetic fields and related health hazards.* Munich-Neuherberg, 20-22 November 1996, pp. 145-161.

Savitz DA (1993): Epidemiologic studies of electric and magnetic fields and cancer: Strategies for extending knowledge. *Environ Health Perspect* 101(Suppl 4):83-91.

Savitz DA (2001): Environmental exposures and childhood cancer: Our best may not be good enough. *Am J Public Health* 91;562-563.

Scarfi MR, Freseghna AM, Villani P, Pinto R, et al. (2006): Exposure to radiofrequency radiation (900 MHz, GSM signal) does not affect micronucleus frequency and cell proliferation in human peripheral blood lymphocytes: an interlaboratory study. *Radiat Res* 165:655-663.

Schilling CJ (1997): Effects of acute exposure to ultrahigh radiofrequency radiation on three antenna engineers. *Occup Environ Med* 54:281-4.

Schirmacher A, Winters S, Fischer S, Goeke J, et al. (2000): Electromagnetic fields (1.8 GHz) increase the permeability to sucrose of the blood-brain barrier in vitro. *Bioelectromagnetics* 21:338-345.

Schlehofer B, Schlaefel K, Blettner M, Berg G, et al. (2007): Environmental risk factors for sporadic acoustic neuroma (Interphone Study Group, Germany). *Eur J Cancer* 43:1741-1747.

Schmid G, Sauter C, Stepansky R, Lobentanz IS, et al. (2005): No influence on selected parameters of human visual perception of 1970 MHz UMTS-like exposure. *Bioelectromagnetics* 24:243-250.

Schmidt-Pokrzywniak A, Jockel KH, Bornfeld N, Stang A (2004): Case-control study on uveal melanoma (RIFA): rationale and design. *BMC Ophthalmol* 4:11.

Schoemaker MJ, Swerdlow AJ, Ahlbom A, Auvinen A, et al. (2005): Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries. *British Journal of Cancer* 2005;93:842-848.

Schoemaker MJ, Swerdlow AJ, Auvinen A, Cardis E, et al. (2006): Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries (letter). *Brit J Cancer* 94:1352-3.

Schönborn F, Burkhardt M and Kuster N (1998): Differences in energy absorption between heads of adults and children in the near field of sources. *Health Phys.* 74: 160-8.

Schönborn F, Pokovi K, Burkhardt M and Kuster N (2001): Basis for evaluation of in vitro exposure apparatus for health hazard evaluations of mobile communications. *Bioelectromagnetics* 22:547-559.

Schuderer J, Samaras T, Oesch W, Spat D, et al. (2004): High peak SAR exposure unit with tight exposure and environmental control for in vitro experiments at 1800 MHz. *IEEE Transactions on Microwave Theory and Techniques* 52:2057-2066.

Schuderer J, Spat D, Samaras T, Oesch W, et al. (2004): In vitro exposure systems for RF exposures at 900 MHz. *IEEE Transactions on Microwave Theory and Techniques* 52:2067-2075

Schuz J, Mann S (2000): A discussion of potential exposure metrics for use in epidemiologic studies on human exposure to radiowaves from mobile phone base stations. *J Expo Anal Environ Epidemiol* 10:600-605.

Schuz J, Bohler E, Berg G, Schlehofer B, et al. (2006a): Cellular phones, Cordless phones, and the risks of glioma and meningioma (Interphone study group, Germany). *Am J Epidemiol* 163:512-520.

Schuz J, Petters C, Egle UT, Jansen B, et al. (2006b): The "Mainzer-Wachhund": results from a watchdog project on self-reported health complaints attributed to exposure to electromagnetic fields. *Bioelectromagnetics* 27:280-287.

Schuz J, Bohler E, Schlehofer B, Berg K, et al. (2006c): Radiofrequency electromagnetic fields emitted from base stations of DECT cordless phones and the risk of glioma and meningioma (Interphone study group, Germany). *Radiat Res* 166:116-119.

Schuz J, Jacobsen R, Olsen JH, Boice JD Jr., et al. (2006d): Cellular telephone use and cancer risk: Update of a nationwide Danish cohort. *J Natl Cancer Inst* 98:1707-1713.

Schuz J, Johansen C (2007): A comparison of self-reported cellular telephone use with subscriber data: Agreement between the two methods and implications for risk estimation. *Bioelectromagnetics* 28:130136.

Sebastien JL, Munoz San Martin S, Sancho M, Miranda JM (2004): Modelling the internal field distribution in human erythrocytes exposed to MW radiation. *Bioelectrochemistry* 64:39-45.

Selvin S, Schulman J, Merrill DW (1992): Distance and risk measures for the analysis of spatial data: A study of childhood cancers. *Soc Sci Med* 34:769-777.

Sernelius BE. Possible induced enhancement of dispersion forces by cellular phones (2004): *Phys Chem Chem Phys* 6:1363-1368.

Shallom JM, Di Carlo AL, Ko D, Penafiel LM, et al. (2002): Microwave exposure induces Hsp 70 and confers protection against hypoxia in chick embryos. *J Cell Biochem* 86:490-496.

Shirai T, Kawabe M, Ichihara T, Fujiwara O, et al. (2005): Chronic exposure to 1.439 GHz electromagnetic field used for cellular phones does not promote N-ethylnitrosourea induced central nervous system tumors in F344 rats. *Bioelectromagnetics* 26:59-68.

Shirai T, Ichihara T, Wake K, Watanabe S, et al. (2007): Lack of promoting effects of chronic exposure to 1.95 GHz W-CDMA signals for IMT-2000 cellular system on development of N-ethylnitrosourea-induced central nervous system tumors in F334 rats. *Bioelectromagnetics* 28:562-572.

Siegrist M, Earle TC, Gutscher H, Keller C (2005): Perception of mobile phone and base station risks. *Risk Analysis* 25:1253-1264.

Siemiatycki J (1993): Problems and priorities in epidemiologic research on human health effects related to wiring code and electric and magnetic fields. *Environ Health Perspect* 101 (Suppl 4):135-141.

Sienkiewicz Z (1997): ABC of RF. *Radiol Prot Bull*, December 1997.

Sienkiewicz Z (1998): Biological effects of electromagnetic fields and radiation. *J Radiol Prot* 18:185-93.

Sienkiewicz Z, Blackwell RP, Haylock RGE, Saunders RD, et al. (2000): Low-level exposure to pulsed 900 MHz microwave radiation does not cause deficits in the performance of a spatial learning task in mice. *Bioelectromagnetics* 21:151-8.

- Sienkiewicz Z, Jones N, Bottomley A. Neurobehavioural effects of electromagnetic fields (2005): *Bioelectromagnetics* 26, issue S7:S116-126.
- Sievert U, Eggert S, Pau HW (2005): Can mobile phone emissions affect auditory functions of cochlea or brain stem? *Otolaryngol Head Neck Surg* 132:451-5.
- Silvi AM, Zari A, Licitra G (2001): Assessment of the temporal trend of the exposure of people to electromagnetic fields produced by base stations for mobile telephones. *Radiat Prot Dosim* 97:387-390.
- Simko M, Hartwig C, Lantow M, Lupke M, et al. (2006): Hsp70 expression and free radical release after exposure to non-thermal radio-frequency electromagnetic fields and ultrafine particles in human Mono Mac 6 cells. *Toxicology Letters* 161:73-82.
- Smith P, Kuster N, Ebert S, Chevalier HJ (2007): GSM and DCS wireless communication signals: Combined chronic toxicity/carcinogenicity study in the Wistar rat. *Radiat Res* 168:480-492.
- Smythe JW, Costall B (2003): Mobile phone use facilitates memory in male, but not female, subjects. *NeuroReport* 14:243-246.
- Söderquist F, Hardell L, Carlberg M, Mild KH (2007): Ownership and use of wireless telephones: a population-based study of Swedish children aged 7-14 years. *BMC Public Health* 2007, 7:105
doi:10.1186/1471-2458-7-105.
- Sommer AM, Streckert J, Bitz AK, Hansen VW, et al. (2004): No effects of GSM-modulated 900 MHz electromagnetic fields on survival rate and spontaneous development of lymphoma in female AKR/J mice. *BMC Cancer* 2004;4:77. Published online November 11, 2004.
- Sommer AM, Bitz AK, Streckert J, Hansen VW, et al. (2007): Lymphoma development in mice chronically exposed to UTMS-modulated radiofrequency electromagnetic fields. *Radiat Res* 168:72-80.
- Spittler JF, Calabrese P, Gehlen W (1997): Cerebro-biological effects in low frequency pulsed RF fields. 2nd World Congress for Electricity and Magnetism in Biology and Medicine, Bologna, Italy.
- Stagg RB, Thomas WJ, Jones RA, Adey WR (1997): DNA Synthesis and cell proliferation in C₆ glioma and primary glial cells exposed to a 836.55 MHz modulated radiofrequency field. *Bioelectromagnetics* 18:230-6.
- Stagg RB, Hawel LH, Pastorian K, Cain C, et al. (2001): Effect of immobilization and concurrent exposure to a pulse-modulated field on core body temperature, plasma ACTH and corticosteroid, and brain ornithine decarboxylase, *Fos* and *Jun* mRNA. *Radiat Res* 155:584-592.
- Stang A, Anastassiou G, Ahrens W, Bromen K, et al. (2001): The possible role of radiofrequency radiation in the development of uveal melanoma. *Epidemiology* 12:7-12.
- Stang A, Schmidt-Pokrzywniak A, Jockel K-H (2005): Re: Mobile phone use and acoustic neuromas, by Lonn et al. *Epidemiology* 16:415.
- Stoykov NS, Jerome JW, Pierce LC, Taflove A (2004): Computational modeling evidence of a nonthermal electromagnetic interaction mechanism with living cells: Microwave nonlinearity in the cellular sodium ion channel. *IEEE Transactions on Microwave Theory and Techniques* 52:2040-2045.
- Straume A, Oftedal G, Johnsson A (2005): Skin temperature increase caused by a mobile phone: A methodological infrared camera study. *Bioelectromagnetics* 26:510-519.
- Stronati L, Testa A, Moquet J, Edwards A, et al. 935 MHz cellular phone radiation (2006): An in vitro study of genotoxicity in human lymphocytes. *Int J Radiat Biol* 82:339-346

- Stuchly MA (1987): Proposed revision of the Canadian recommendations on radiofrequency-exposure protection. *Health Physics* 53:649-665.
- Stuchly MA (1998): Biomedical concerns in wireless communications. *Crit Rev Biomed Engineering* 26:117-151.
- Sukhotina I, Streckert JR, Bitz AK, Hansen VW, et al. (2006): 1800 MHz electromagnetic field effects on melatonin release from isolated pineal glands. *J Pineal Res* 40:86-91.
- Swerdlow AJ (1999): Measurement of radiofrequency radiation exposure in epidemiological studies. *Rad Prot Dosim* 83:149-153.
- Swicord ML, Morrissey JJ (1998): In vivo laboratory experiments related to cellular telephone communications. Motorola updated version of a paper previously presented at "The Second World Congress for Electricity and Magnetism in Biology and Medicine", Bologna, Italy, June 1997.
- Sykes PJ, McCallum BD, Hooker AM (2001): Effect of exposure to 900 MHz radiofrequency radiation on intrachromosomal recombination in pKZ1 mice. *Radiat Res* 156:495-502.
- Szmigielski S, Szudzinski A, Pietraszek A, Bielec M, et al. (1982): Accelerated development of spontaneous and benzopyrene-induced skin cancer in mice exposed to 2450 MHz microwave irradiation. *Bioelectromagnetics* 3:179-191.
- Szmigielski S (1996): Cancer morbidity in subjects occupationally exposed to high frequency (radiofrequency and microwave) electromagnetic radiation. *Sci Total Environ* 180:9-17.
- Tahvanainen K, Nino J, Halonen P, Kuusela T, et al. (2004): Cellular phone use does not acutely affect blood pressure or heart rate of humans. *Bioelectromagnetics* 25:73-83.
- Takahashi S, Inaguma S, Cho Y_M, Imaida K, et al. (2002): Lack of mutation induction with exposure to 1.5 GHz electromagnetic near fields used for cellular phones in brains of big blue mice. *Cancer Research* 62:1956-1960.
- Takashima Y, Hirose H, Koyama S, Suzuki Y, et al. (2006): Effects of continuous and intermittent exposure to RF fields with a wide range of SARs on cell growth, survival, and cell cycle distribution. *Bioelectromagnetics* 27:392-400.
- Takebayashi T, Akiba S, Kikuchi Y, Taki M, et al. (2006): Mobile phone use and acoustic neuroma risk in Japan. *Occup Environ Med* 63:802-807.
- Tarone RE, Inskip PD (2005): Re: Mobile phone use and acoustic neuromas, by Lonn et al. *Epidemiology* 16:414.
- Tattersall JEH, Scott IR, Wood SJ, Nettell JJ, et al. (2001): Effects of low intensity radiofrequency electromagnetic fields on electrical activity in rat hippocampal slices. *Brain Res* 904:43-53.
- Testylier G, Tondulu L, Malablau R, Debouzy JC (2002): Effects of exposure to low level radiofrequency fields on acetylcholine release in hippocampus of freely moving rats. *Bioelectromagnetics* 23:249-255.
- Thansandote A, Gajda GB, Lecuyer DW (1999): Radiofrequency radiation in five Vancouver schools: exposure standards not exceeded. *CMAJ* 160:1311-2.
- Thansandote A, Gajda GB, Lecuyer DW (1996): Cellular transmitter towers and hand-held telephones: Are they hazardous? The sixth international conference on advanced science and technology exchange with Thailand, Bangkok, Thailand, July 17-19.

Thimonier C, Chabert R, Ayoub J et al. (1997): No effect in humans of microwaves emitted by GSM mobile telephones on the auditory brainstem responses and auditory distortion products. 2nd World Congress for Electricity and Magnetism in Biology and Medicine, Bologna, Italy.

Thomas TL, Stolley PD, Stemhagen A, et al. (1987): Brain tumour mortality risk among men with electrical and electronic jobs: a case-control study. *J Nat Cancer Inst* 79:233-8.

Thomas BN, Flowers D, Caswell J, Robbe IJ (2005): Re: Mobile phone use and acoustic neuromas, by Lonn et al. *Epidemiology* 16:416.

Thorlin T, Rouquette J-M, Hamnerius Y, Hansson E, et al. (2006): Exposure of cultured astroglial and microglial brain cells to 900 MHz microwave radiation. *Radiat Res* 166:409-421

Thuroczy G, Kuninyi G, Sinay H, Bakos J et al. (1997): Human studies on potential influence of RF exposure emitted by GSM cellular phones on cerebral circulation and EEG. 2nd World Congress for Electricity and Magnetism in Biology and Medicine, Bologna, Italy.

Tian F, Nakahara T, Wake K, Taki M, et al. (2002): Exposure to 2.45 GHz electromagnetic fields induces hsp 70 at a high SAR of more than 20 W/kg but not at 5 W/kg in human glioma M054 cells. *Int J Radiat Biol* 78:433-460.

Tice RR, Hook GG, Donner M, McRee DI, et al. (2002). Genotoxicity of radiofrequency signals. 1. Investigation of DNA damage and micronuclei induction in cultured human blood cells. *Bioelectromagnetics* 23:113-126.

Tillmann T, Ernst H, Ebert S, Kuster N, et al. (2007): Carcinogenicity study of GSM and DCS wireless communication signals in B6C3F1 mice. *Bioelectromagnetics* 28:173-187.

Tkalec M, Malaric K, Pevalek-Kozlina B (2005): Influence of 400, 900, and 1900 MHz electromagnetic fields on *Lemna minor* growth and peroxidase activity. *Bioelectromagnetics* 26:185-193.

Tofani S, Agnesod G, Ossola P, Ferrini S, et al. (1986): Effects of continuous low-level exposure to radiofrequency radiation on intrauterine development in rats. *Health Physics* 51:489-499.

Toler JC, Shelton WW, Frei MR, Merritt JH, et al. (1997): Long-term, low-level exposure of mice prone to mammary tumors to 435 MHz radiofrequency radiation. *Rad Res* 148:227-234.

Toropainen A (2003): Human exposure by mobile phones in enclosed areas. *Bioelectromagnetics* 24:63-65.

Trichopoulos D, Adami H-O. (2001): Cellular-telephone use and brain tumors. *NEJM* 344:133-134.

Trosic I, Busljeta I, Kasuba V, Rozgaj R (2002): Micronucleus induction after whole-body radiation of rats. *Mutation Research* 521:73-79.

Tsurita G, Nagawa H, Ueno S, et al. (2000): Biological and morphological effects on the brain after exposure of rats to a 1439MHz TDMA field. *Bioelectromagnetics* 21: 364-371.

Tuschl H, Novak W, Molla-Djafari H (2006): In vitro effects of GSM modulated radiofrequency fields on human immune cells. *Bioelectromagnetics* 27:188-196.

Tynes T, Hannevik M, Andersen A, et al. (1996): Incidence of breast cancer in Norwegian female radio and telegraph operators. *Cancer Causes Control* 7:197-204.

Uloziene I, Uloza V, Gradauskiene E, Saferis V (2005): Assessment of potential effects of the electromagnetic fields of mobile phones on hearing. *BMC Public Health* 5:39

UNEP/WHO/IRPA (1993): Electromagnetic fields (300 Hz to 300 GHz): Environmental Health Criteria 137. Geneva: World Health Organization, ISBN 92 4 1571373.

Utteridge TD, Gebiski V, Finnie JW, Vernon-Roberts B, Kuchel TR (2002): Long-term exposure of Eμ-*Pim1* transgenic mice to 898.4 MHz microwaves does not increase lymphoma incidence. *Radiat Res* 158:357-364.

Valberg PA (1996): Radiofrequency radiation (RFR): the nature of exposure and carcinogenic potential. *Cancer Causes and Control* 8:323-332.

Valberg PA, van Deventer TE, Repacholi MH (2007): Workshop report: Base stations and wireless networks - radiofrequency (RF) exposures and health consequences. *Environ Health Perspect* 115:416-424.

Valentini E, Corcio G, Moroni F, Ferrara M, et al. (2007): Neurophysiological effects of mobile phone electromagnetic fields on humans: A comprehensive review. *Bioelectromagnetics* 28:415-432.

Van Leeuwen GMJ, Lagendijk JJW, Van Leersum BJAM, Zwamborn APM, et al. (1999): Calculation of change in brain temperatures due to exposure to a mobile phone. *Phys Med Biol* 44:2367-2379.

van Rongen E, Roubos EW, van Aernsbergen LM, Brussaard G, et al. (2004): Mobile phones and children: Is precaution warranted? *Bioelectromagnetics* 25:142-144.

Vecchia P. Assessments of health effects associated with electromagnetic fields by WHO, IARC, and ICNIRP. *Radio Science Bulletin* No 318 (September 2006) 30-33.

Velizarov S, Rasmak P, Kwee S (1999): The effects of radiofrequency fields on cell proliferation. *Bioelectrochem Bioenerg* 48:177-180.

Verschaeve L (1995): Can non-ionising radiation cause cancer? *The Cancer Journal* 8(5):237.

Verschaeve L, Maes A (1998): Genetic, carcinogenic and teratogenic effects of radiofrequency fields. *Mutation Res* 410:141-165.

Verschaeve L. Genetic effects of radiofrequency radiation. *Toxicol Appl Pharmacol* 2005;207 (Suppl 2):336-341.

Verschaeve L, Heikkinen P, Verheyen G, van Gorp U, et al. (2006): Investigation of co-genotoxic effects of radiofrequency electromagnetic fields in vivo. *Radiat Res* 165:598-607.

Veyret B, Morrissey JJ (1998): In Vitro laboratory experiments related to cellular telephone communications. Motorola updated version of a paper previously presented at "The Second World Congress for Electricity and Magnetism in Biology and Medicine", Bologna, Italy, June 1997.

Vijayalaxmi, Mohan N, Meltz ML, Wittler MA (1997): Proliferation and cytogenetic studies in human blood lymphocytes exposed in vitro to 2450 MHz radiofrequency radiation. *Int J Radiat Biol* 72:751-7.

Vijayalaxmi, Leal BZ, Szilagyi M, Prihoda TJ, et al. (2000): Primary DNA damage in human blood lymphocytes exposed in vitro to 2450 MHz radiofrequency radiation. *Radiat Res* 153:479-486.

Vijayalaxmi, Pickard WF, Bisht KS, Leal BZ, et al. (2001): Cytogenetic studies in human blood lymphocytes exposed in vitro to radiofrequency radiation at a cellular telephone frequency (835.62 MHz, FDMA). *Radiat Res* 155:113-121.

- Vijayalaxmi, Bisht KS, Pickard WE, Meltz ML, Roti Roti JL, et al. (2001): Chromosome damage and micronucleus formation in human blood lymphocytes exposed in vitro to radiofrequency radiation at a cellular telephone frequency (847.74 MHz, CDMA). *Radiat Res* 156:430-433.
- Vijayalaxmi, Pickard WF, Bisht KS, Prihoda TJ, et al. (2001): Micronuclei in the peripheral blood and bone marrow cells of rats exposed to 2450 MHz radiofrequency radiation. *Int J Radiat Biol* 77:1109-1115.
- Vijayalaxmi, Sasser L, Morris JE, Wilson BW, et al. (2003): Genotoxic potential of 1.6 GHz wireless communication signal: in vivo two-year bioassay. *Radiat Res* 159: 558-564.
- Vijayalaxmi, Obe G (2005): Controversial cytogenetic observations in mammalian somatic cells exposed to radiofrequency radiation. *Radiat Res* 163:481-96
- Vijayalaxmi (2006): Cytogenetics studies in human blood lymphocytes exposed in vitro to 2.45 GHz or 8.2 GHz radiofrequency radiation. *Radiat Res* 166:532-538.
- Virtanen H, Huttunen J, Toropainen A, Lappalainen R. Interaction of mobile phones with superficial passive metallic implants. *Phys Med Biol* 2005;50:2689-2700.
- Von Klitzing L (1995): Low-frequency pulsed electromagnetic fields influence EEG of man. *Phys Med* 11:77-80.
- Vrijheid M, Cardis E, Armstrong BK, Auvinen A, et al. (2006a): Validation of short term recall of mobile phone use for the Interphone study. *Occup Environ Med* 63:237-243.
- Vrijheid M, Deltour I, Krewski D, Sanchez M, et al. (2006b): The effects of recall errors and of selection bias in epidemiologic studies of mobile phone use and cancer risk. *Journal of Exposure Science and Environmental Epidemiology*, advance online publication 14 June, 2006.
- Wagner P, Röschke J, Mann K, et al. (1998): Human sleep under the influence of pulsed radiofrequency electromagnetic fields: a polysomnographic study using standardized conditions. *Bioelectromagnetics* 19:199-202.
- Wagner P, Röschke J, Mann K, Fell J, et al. (2000): Human sleep EEG under the influence of pulsed radiofrequency electromagnetic fields. *Neuropsychobiology* 42:207-212.
- Wainwright P (2000): Thermal effects of radiation from cellular telephones. *Phys Med Biol* 45:2363-2372.
- Wainwright PR (2007): Computational modelling of temperature rises in the eye in the near field of radiofrequency sources at 380, 900, and 1800 MHz. *Phys Med Biol* 52:3335-3350.
- Wang B, Lai H (2000): Acute exposure to pulsed 2450-MHz microwaves affects water-maze performance of rats. *Bioelectromagnetics* 21:52-6.
- Wang J, Koyama S, Komatsubara Y, Suzuki Y, et al. (2006): Effects of a 2450 MHz high-frequency electromagnetic field with a wide range of SARs on the induction of heat-shock proteins in A172 cells. *Bioelectromagnetics* 27:479-486.
- Ward TR, Elder JA, Long MD, Svendsgaard D (1982): Measurement of blood-brain barrier permeation in rats during exposure to 2450-MHz microwaves. *Bioelectromagnetics* 3:371-383.
- Warren HG, Prevatt AA, Daly KA, Antonelli PJ (2003): Cellular telephone use and risk of intratemporal facial nerve tumour. *Laryngoscope* 113:663-667.
- Weaver JC (2002): Understanding conditions for which biological effects of nonionizing electromagnetic fields can be expected. *Bioelectrochemistry* 56:207-209.

- Weisbrot D, Lin H, Ye L, Blank M, et al. (2003): Effects of mobile phone radiation on reproduction and development in *Drosophila melanogaster*. *J Cell Biochem* 89:48-55.
- Westerman R, Hocking B (2004): Diseases of modern living; neurological changes associated with mobile phones and radiofrequency radiation in humans. *Neuroscience letters* 361:13-16.
- Whitehead T, Brownstein BH, Parry JJ, Thompson D, et al. (2005): Expression of the proto-oncogene *Fos* after exposure to radiofrequency radiation relevant to wireless communications. *Radiat Res* 164:420-430.
- Whitehead TD, Moros EG, Brownstein BH, Roti Roti JL (2006a): Gene expression does not change significantly in C3H 10 T1/2 cells after exposure to 847.74 CDMA or 835.62 FDMA radiofrequency radiation. *Radiat Res* 165:626-635.
- Whitehead T, Moros EG, Brownstein BH, Roti Roti JL (2006b): The number of genes changing expression after chronic exposure to code division multiple access or frequency DMA radiofrequency radiation does not exceed the false-positive rate. *Proteomics* 6:4739-44.
- Wiedemann PM, Schutz H (2005): The precautionary principle and risk perception: experimental studies in the EMF area. *Environ Health Perspect* 113:402-5.
- Wilén J, Sandström M, Mild KJ (2003): Subjective symptoms among mobile phone users - a consequence of absorption of radiofrequency fields? *Bioelectromagnetics* 24:152-159.
- Wilén J, Johansson A, Kalezić N, Lyskov E, et al. (2006): Psychological tests and provocation of subjects with mobile phone related symptoms. *Bioelectromagnetics* 27:204-214.
- Wilén J, Wiklund U, Hornsten R, Sandström M (2007): Changes in heart variability among RF plastic sealer operators. *Bioelectromagnetics* 28:76-79.
- Wood AW, Loughran SP, Stough C (2006): Does evening exposure to mobile phone radiation affect subsequent melatonin production? *Int J Radiat Biol* 82:69-76
- World Health Organization (WHO) (1993): Electromagnetic fields (300 Hz – 300 GHz): Environmental health criteria #137. Geneva: World Health Organization.
- World Health Organization (WHO) (2000): Electromagnetic fields and public health: Mobile telephones and their base stations. [Fact Sheet No. 193] Revised June 2000.
- Wrensch M, Minn Y, Chew T, Bondy M, et al. (2002): Epidemiology of brain tumors: current concepts and review of the literature. *Neuro-Oncol* 4:278-299.
- Wu RY, Chiang H, Shao BJ, Li NG, et al. (1994): Effects of 2.45-GHz microwave radiation and phorbol ester 12-*O*-tetradecanoylphorbol-13-acetate on dimethylhydrazine-induced colon cancer in mice. *Bioelectromagnetics* 15:531-536.
- Xu S, Ning W, Xu Z, Zhou S, et al. (2007): Chronic exposure to GSM 1800-MHz microwaves reduces excitatory synaptic activity in cultured hippocampal neurons. *Neuroscience Letters* 398:253-257.
- Yamaguchi H, Tsurita G, Ueno S, Watanabe S, et al (2003): 1439 MHz pulsed TDMA fields affect performance of rats in a T-maze task only when body temperature is elevated. *Bioelectromagnetics* 24:223-230.
- Yan JG, Agresti M, Bruce T, Yan YH, et al. (2007): Effects of cellular phone emissions on sperm motility in rats. *Fertil Steril* 88:957-964.

Ye J, Yao K, Zeng Q, Lu D (2002): Changes in gap junctional intercellular communication in rabbits' lens epithelial cells induced by low power density microwave radiation. *Chin Med J* 115:1873-1876.

Yu D, Shen Y, Kuster N, Fu Y, et al. (2006): Effects of 900 MHz GSM wireless communication signals on DMBA-induced mammary tumors in rats. *Radiat Res* 165:174-180.

Yuasa K, Asai N, Okabe S, Tarusawa Y, et al. (2006): Effects of thirty minutes mobile phone use on the human sensory cortex. *Clin Neurophysiol* 117:900-905.

Yurekli AI, Ozkan M, Kalkan T, Saybasili H, et al. (2006): GSM base station electromagnetic radiation and oxidative stress in rats. *Electromagnetic Biology and Medicine* 25:177-188.

Zeng Q, Chen G, Weng Y, Wang L, et al. (2006): Effects of global system for mobile communications 1800 MHz radiofrequency electromagnetic fields on gene and protein expression in MCF-7 cells. *Proteomics* 6:4732-8.

Zeni O, Chiavoni AS, Sannino A, Antolini A, et al. (2003): Lack of genotoxic effects (micronucleus induction) in human lymphocytes exposed in vitro to 900 MHz electromagnetic fields. *Radiat Res* 160:152-158.

Zeni O, Romano M, Perotta A, Lioi MB, et al. (2005): Evaluation of genotoxic effects in human peripheral blood leukocytes following an acute in vitro exposure to 900 MHz radiofrequency fields. *Bioelectromagnetics* 26:258-265.

Zeni O, Di Pietro R, d'Ambrosio G, Massa R, et al. (2007): Formation of reactive oxygen species in L929 cells after exposure to 900 MHz RF radiation with and without co-exposure to 3'chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone. *Radiat Res* 167:306-311.

Zhang M-B, Ji-Liang H, Li-Fen J, De-Qiang L (2002): Study of low-intensity 2450 MHz microwave exposure enhancing the genotoxic effects of Mitomycin C using micronucleus test and comet assay in vitro. *Biomed Envir Sci* 15:283-290.

Zhao T-Z, Zou S-P, Knapp PE (2007): Exposure to cell phone radiation up-regulates apoptosis genes in primary cultures of neurons and astrocytes. *Neuroscience letters* 412:34-38.

Zheng T, Cantor KP, Zhang Y, Keim S, et al. (2001): Occupational risk factors for brain cancer: a population-based case-control study in Iowa. *J Occup Environ Med* 43:317-324.

Zimmerman SM, Zimmerman RW (2001): Handheld cellular telephones and brain cancer risk (letter). *JAMA* 285:1838.

Ziskin MC (2002): Medical aspects of radiofrequency radiation overexposure. *Health Physics* 82:387-391.

Ziskin M (2002): Electromagnetic hypersensitivity - a COMAR technical information statement. *IEEE Engineering in Medicine and Biology*, Sept/Oct;173-175.

Zmirou D, et al. (2001): Mobile telephones, base stations and health. Current state-of-art knowledge and recommendations. A report to the Director General Of Health of France.

Zmyslony M, Politanski P, Rajkowska E, Szymczak W, et al. (2004): Acute exposure to 930 MHz CW electromagnetic radiation in vitro affects reactive oxygen species level in rat lymphocytes treated by iron ions. *Bioelectromagnetics* 25:324-328.

Zook BC, Simmens SJ. (2001): The effects of 860 MHz radiofrequency radiation on the induction or promotion of brain tumours and other neoplasms in rats. *Radiat Res* 155:572-583.

Zook BC, Simmens SJ (2006): The effects of pulsed 860 MHz radiofrequency radiation on the promotion of neurogenic tumors in rats. *Radiat Res* 165:608-615.

Zotti-Martelli L, Peccatori M, Scarpato R, Migliore L. (2000): Induction of micronuclei in human lymphocytes exposed in vitro to microwave radiation. *Mut Res* 472:51-8.

Zotti-Martelli L, Peccatori M, Maggini V, Ballardini M, et al. (2005): Individual responsiveness to induction of micronuclei in human lymphocytes after exposure in vitro to 1800 MHz microwave radiation. *Mutat Res* 582:42-52.

Zwamborn APM, Vossen SHJA, van Leersum BJAM, Ouwens MA, Makel WN (2003): Effects of global communication system radio-frequency fields on well being and cognitive functions of human subjects with and without subjective complaints. TNO-report. FEL-03-C148